

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/BOM,v
working file: atlas/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 7.0
keyword substitution: kv
total revisions: 1799; selected revisions: 15
description:

revision 2.115
date: 1995/03/31 22:40:27; author: tom; state: Exp; lines: +2 -2
Release Target: atlas
 Makefile.defs

export CHIPROOT

revision 2.114
date: 1995/03/31 22:07:19; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
 x112dandn20s.ly
 x112dorn20s.ly
 x117dandn20s.ly
 x117dorn20s.ly
 x12andn10s.ly
 x12andn160s.ly
 x12andn20s.ly
 x12andn40s.ly
 x12andn80s.ly
 x12dandn10s.ly
 x12dorn10s.ly
 x12muxn10s.ly
 x12muxn160s.ly
 x12muxn20s.ly
 x12muxn40s.ly
 x12muxn80s.ly
 x12orn10s.ly
 x12orn160s.ly
 x12orn20s.ly
 x12orn40s.ly
 x12orn80s.ly
 x13andn10s.ly
 x13andn160s.ly
 x13andn20s.ly
 x13andn40s.ly
 x13andn80s.ly
 x13dandn10s.ly
 x13dorn10s.ly
 x13muxn10s.ly
 x13muxn160s.ly
 x13muxn20s.ly
 x13muxn40s.ly
 x13muxn80s.ly
 x13orn10s.ly
 x13orn160s.ly
 x13orn20s.ly
 x13orn40s.ly
 x13orn80s.ly
 x14andn10s.ly
 x14andn160s.ly

cf Mar 28-April 3 1995.log

x14andn20s.ly
x14andn40s.ly
x14andn80s.ly
x14dandn10s.ly
x14dorn10s.ly
x14muxn10s.ly
x14muxn160s.ly
x14muxn20s.ly
x14muxn40s.ly
x14muxn80s.ly
x14orn10s.ly
x14orn160s.ly
x14orn20s.ly
x14orn40s.ly
x14orn80s.ly
x15muxn10s.ly
x15muxn160s.ly
x15muxn20s.ly
x15muxn40s.ly
x15muxn80s.ly
x16dandn10s.ly
x16dorn10s.ly
x16muxn10s.ly
x16muxn160s.ly
x16muxn20s.ly
x16muxn40s.ly
x16muxn80s.ly
x17muxn10s.ly
x17muxn160s.ly
x17muxn20s.ly
x17muxn40s.ly
x17muxn80s.ly
x18dandn10s.ly
x18dorn10s.ly
x18muxn10s.ly
x18muxn160s.ly
x18muxn20s.ly
x18muxn40s.ly
x18muxn80s.ly
x1bufn10s.ly
x1bufn160s.ly
x1bufn20s.ly
x1bufn40s.ly
x1bufn80s.ly
x1dlaq10s.ly
x1dlaq160s.ly
x1dlaq20s.ly
x1dlaq40s.ly
x1dlaq80s.ly
x1dlbq10s.ly
x1dlbq160s.ly
x1dlbq20s.ly
x1dlbq40s.ly
x1dlbq80s.ly
x11an10s.ly
x11an160s.ly
x11an20s.ly
x11an40s.ly
x11an80s.ly
x11bn10s.ly
x11bn160s.ly
x11bn20s.ly
x11bn40s.ly

cf Mar 28-April 3 1995.log

xllbn80s.ly

Added uh_ cells to half of these cells.

revision 2.113

date: 1995/03/31 19:17:13; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.112

date: 1995/03/31 19:15:33; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

add edif netlist generation

revision 2.111

date: 1995/03/31 03:05:51; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 2.110

date: 1995/03/31 01:05:24; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 2.109

date: 1995/03/30 20:05:50; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d_am)

revision 2.108

date: 1995/03/30 20:00:49; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 2.107

date: 1995/03/30 19:34:25; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 2.106

date: 1995/03/30 19:14:51; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status

revision 2.105

date: 1995/03/30 19:08:51; author: tom; state: Exp; lines: +2 -2
Release Target: atlas
Makefile.defs

fault the ged stuff back in -- it's clearly all needed

revision 2.104

date: 1995/03/30 04:49:18; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

cf Mar 28-April 3 1995.log
improve dependencies; build netlist for one-lobe xs cells

revision 2.103
date: 1995/03/29 22:17:59; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

revision 2.102
date: 1995/03/29 18:34:17; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far

revision 2.101
date: 1995/03/29 18:32:55; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====
RCS file: /p/cvsroot/atlas/Makefile.defs,v
working file: atlas/Makefile.defs
head: 1.62
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.62
keyword substitution: kv
total revisions: 62; selected revisions: 2
description:

revision 1.12
date: 1995/03/31 22:40:11; author: tom; state: Exp; lines: +3 -1
export CHIPROOT

revision 1.11
date: 1995/03/30 19:08:33; author: tom; state: Exp; lines: +32 -1
fault the ged stuff back in -- it's clearly all needed

=====
RCS file: /p/cvsroot/atlas/baseplate/chipparms.m4,v
working file: atlas/baseplate/chipparms.m4
head: 1.21
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.21
keyword substitution: kv
total revisions: 21; selected revisions: 1
description:

revision 1.14
date: 1995/03/29 22:14:02; author: ong; state: Exp; lines: +3 -3
Changed clock spar power pillar generation methodology

=====
RCS file: /p/cvsroot/atlas/baseplate/sharedbaseplate.sgen.m4,v
working file: atlas/baseplate/sharedbaseplate.sgen.m4

cf Mar 28-April 3 1995.log

head: 1.41
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.41
keyword substitution: kv
total revisions: 41; selected revisions: 2
description:

revision 1.16
date: 1995/03/29 22:42:51; author: ong; state: Exp; lines: +15 -2
Added instantiations of "clkdrv" to clock spars

revision 1.15
date: 1995/03/29 22:14:04; author: ong; state: Exp; lines: +43 -32
changed clock spar power pillar generation methodology
=====

RCS file: /p/cvsroot/atlas/compass/BOM,v
working file: atlas/compass/BOM
head: 10.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 10.0
keyword substitution: kv
total revisions: 217; selected revisions: 2
description:
releasebom adding BOM

revision 2.7
date: 1995/03/31 22:07:06; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts

x112dandn20s.ly
x112dorn20s.ly
x117dandn20s.ly
x117dorn20s.ly
x12andn10s.ly
x12andn160s.ly
x12andn20s.ly
x12andn40s.ly
x12andn80s.ly
x12dandn10s.ly
x12dorn10s.ly
x12muxn10s.ly
x12muxn160s.ly
x12muxn20s.ly
x12muxn40s.ly
x12muxn80s.ly
x12orn10s.ly
x12orn160s.ly
x12orn20s.ly
x12orn40s.ly
x12orn80s.ly
x13andn10s.ly
x13andn160s.ly
x13andn20s.ly
x13andn40s.ly
x13andn80s.ly
x13dandn10s.ly
x13dorn10s.ly

cf Mar 28-April 3 1995.log

x13muxn10s.ly
x13muxn160s.ly
x13muxn20s.ly
x13muxn40s.ly
x13muxn80s.ly
x13orn10s.ly
x13orn160s.ly
x13orn20s.ly
x13orn40s.ly
x13orn80s.ly
x14andn10s.ly
x14andn160s.ly
x14andn20s.ly
x14andn40s.ly
x14andn80s.ly
x14dandn10s.ly
x14dorn10s.ly
x14muxn10s.ly
x14muxn160s.ly
x14muxn20s.ly
x14muxn40s.ly
x14muxn80s.ly
x14orn10s.ly
x14orn160s.ly
x14orn20s.ly
x14orn40s.ly
x14orn80s.ly
x15muxn10s.ly
x15muxn160s.ly
x15muxn20s.ly
x15muxn40s.ly
x15muxn80s.ly
x16dandn10s.ly
x16dorn10s.ly
x16muxn10s.ly
x16muxn160s.ly
x16muxn20s.ly
x16muxn40s.ly
x16muxn80s.ly
x17muxn10s.ly
x17muxn160s.ly
x17muxn20s.ly
x17muxn40s.ly
x17muxn80s.ly
x18dandn10s.ly
x18dorn10s.ly
x18muxn10s.ly
x18muxn160s.ly
x18muxn20s.ly
x18muxn40s.ly
x18muxn80s.ly
x1bufn10s.ly
x1bufn160s.ly
x1bufn20s.ly
x1bufn40s.ly
x1bufn80s.ly
x1d1aq10s.ly
x1d1aq160s.ly
x1d1aq20s.ly
x1d1aq40s.ly
x1d1aq80s.ly
x1d1bq10s.ly
x1d1bq160s.ly

cf Mar 28-April 3 1995.log

x1dlbq20s.ly
x1dlbq40s.ly
x1dlbq80s.ly
x1lan10s.ly
x1lan160s.ly
x1lan20s.ly
x1lan40s.ly
x1lan80s.ly
x1lbn10s.ly
x1lbn160s.ly
x1lbn20s.ly
x1lbn40s.ly
x1lbn80s.ly

Added uh_ cells to half of these cells.

revision 2.6

date: 1995/03/29 22:17:50; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas/compass/layouts/BOM,v

working file: atlas/compass/layouts/BOM

head: 75.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 75.0

keyword substitution: kv

total revisions: 278; selected revisions: 2

description:

releasebom adding BOM

revision 4.4

date: 1995/03/31 22:06:52; author: ong; state: Exp; lines: +402 -6

Release Target: atlas/compass/layouts

x112dandn20s.ly
x112dorn20s.ly
x117dandn20s.ly
x117dorn20s.ly
x12andn10s.ly
x12andn160s.ly
x12andn20s.ly
x12andn40s.ly
x12andn80s.ly
x12dandn10s.ly
x12dorn10s.ly
x12muxn10s.ly
x12muxn160s.ly
x12muxn20s.ly
x12muxn40s.ly
x12muxn80s.ly
x12orn10s.ly
x12orn160s.ly
x12orn20s.ly
x12orn40s.ly
x12orn80s.ly
x13andn10s.ly
x13andn160s.ly

cf Mar 28-April 3 1995.log

x13andn20s.ly
x13andn40s.ly
x13andn80s.ly
x13dandn10s.ly
x13dorn10s.ly
x13muxn10s.ly
x13muxn160s.ly
x13muxn20s.ly
x13muxn40s.ly
x13muxn80s.ly
x13orn10s.ly
x13orn160s.ly
x13orn20s.ly
x13orn40s.ly
x13orn80s.ly
x14andn10s.ly
x14andn160s.ly
x14andn20s.ly
x14andn40s.ly
x14andn80s.ly
x14dandn10s.ly
x14dorn10s.ly
x14muxn10s.ly
x14muxn160s.ly
x14muxn20s.ly
x14muxn40s.ly
x14muxn80s.ly
x14orn10s.ly
x14orn160s.ly
x14orn20s.ly
x14orn40s.ly
x14orn80s.ly
x15muxn10s.ly
x15muxn160s.ly
x15muxn20s.ly
x15muxn40s.ly
x15muxn80s.ly
x16dandn10s.ly
x16dorn10s.ly
x16muxn10s.ly
x16muxn160s.ly
x16muxn20s.ly
x16muxn40s.ly
x16muxn80s.ly
x17muxn10s.ly
x17muxn160s.ly
x17muxn20s.ly
x17muxn40s.ly
x17muxn80s.ly
x18dandn10s.ly
x18dorn10s.ly
x18muxn10s.ly
x18muxn160s.ly
x18muxn20s.ly
x18muxn40s.ly
x18muxn80s.ly
x1bufn10s.ly
x1bufn160s.ly
x1bufn20s.ly
x1bufn40s.ly
x1bufn80s.ly
x1d1aq10s.ly
x1d1aq160s.ly

cf Mar 28-April 3 1995.log

x1dlaq20s.ly
x1dlaq40s.ly
x1dlaq80s.ly
x1dlbq10s.ly
x1dlbq160s.ly
x1dlbq20s.ly
x1dlbq40s.ly
x1dlbq80s.ly
x1lan10s.ly
x1lan160s.ly
x1lan20s.ly
x1lan40s.ly
x1lan80s.ly
x1lbn10s.ly
x1lbn160s.ly
x1lbn20s.ly
x1lbn40s.ly
x1lbn80s.ly

Added uh_ cells to half of these cells.

revision 4.3

date: 1995/03/29 22:17:40; author: ong; state: Exp; lines: +5 -1

Release Target: atlas/compass/layouts

padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas/compass/layouts/atlas.db,v

working file: atlas/compass/layouts/atlas.db

head: 1.136

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.136

keyword substitution: kv

total revisions: 136; selected revisions: 4

description:

revision 1.37

date: 1995/03/31 22:40:01; author: chip; state: Exp; lines: +68 -66

periodic checkin of Fri Mar 31 14:39:58 PST 1995

revision 1.36

date: 1995/03/30 00:38:02; author: chip; state: Exp; lines: +30 -28

periodic checkin of Wed Mar 29 16:37:58 PST 1995

revision 1.35

date: 1995/03/28 19:04:32; author: chip; state: Exp; lines: +4 -4

periodic checkin of Tue Mar 28 11:04:28 PST 1995

revision 1.34

date: 1995/03/28 17:45:00; author: chip; state: Exp; lines: +26 -26

periodic checkin of Tue Mar 28 09:44:55 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt12to64.ly,v

working file: atlas/compass/layouts/cgt12to64.ly

head: 4.3

branch:

locks: strict

cf Mar 28-April 3 1995.log

access list:
symbolic names:
 b4_rich: 4.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 18:50:12; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt13nms.ly,v
working file: atlas/compass/layouts/cgt13nms.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/28 17:18:24; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:18:20 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt15nms.ly,v
working file: atlas/compass/layouts/cgt15nms.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/03/28 17:18:26; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:18:20 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgt16nms.ly,v
working file: atlas/compass/layouts/cgt16nms.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.1
date: 1995/04/01 00:02:36; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

cf Mar 28-April 3 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/cgt7to16.ly,v
working file: atlas/compass/layouts/cgt7to16.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.1
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 18:50:14; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtddrv.ly,v
working file: atlas/compass/layouts/cgtddrv.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.3
date: 1995/03/29 01:34:47; author: chip; state: Exp; lines: +22 -21
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtfdec.ly,v
working file: atlas/compass/layouts/cgtfdec.ly
head: 4.4
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 18:50:16; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/cgtlb.ly,v
working file: atlas/compass/layouts/cgtlb.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.1

cf Mar 28-April 3 1995.log
date: 1995/04/01 00:02:38; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm1col.ly,v
working file: atlas/compass/layouts/cgtm1col.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:

revision 4.6
date: 1995/03/31 00:47:37; author: chip; state: Exp; lines: +266 -266
periodic checkin of Thu Mar 30 16:47:33 PST 1995

revision 4.5
date: 1995/03/29 01:34:50; author: chip; state: Exp; lines: +276 -9
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm1col_2x.ly,v
working file: atlas/compass/layouts/cgtm1col_2x.ly
head: 4.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.5
keyword substitution: kv
total revisions: 5; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 00:47:39; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 30 16:47:33 PST 1995

revision 4.1
date: 1995/03/29 01:34:51; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm2col.ly,v
working file: atlas/compass/layouts/cgtm2col.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 01:07:04; author: chip; state: Exp; lines: +392 -392
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.1

cf Mar 28-April 3 1995.log
date: 1995/03/29 01:34:54; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm64x58.ly,v
working file: atlas/compass/layouts/cgtm64x58.ly
head: 4.18
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.18
keyword substitution: kv
total revisions: 18; selected revisions: 3
description:

revision 4.3
date: 1995/04/01 00:05:52; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 31 16:05:46 PST 1995

revision 4.2
date: 1995/03/31 22:04:33; author: chip; state: Exp; lines: +4266 -70
periodic checkin of Fri Mar 31 14:04:28 PST 1995

revision 4.1
date: 1995/03/29 01:34:56; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtm8col.ly,v
working file: atlas/compass/layouts/cgtm8col.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.16
keyword substitution: kv
total revisions: 16; selected revisions: 3
description:

revision 4.3
date: 1995/03/31 22:04:38; author: chip; state: Exp; lines: +2 -130
periodic checkin of Fri Mar 31 14:04:28 PST 1995

revision 4.2
date: 1995/03/31 01:07:07; author: chip; state: Exp; lines: +782 -782
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.1
date: 1995/03/29 01:34:59; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatch.ly,v
working file: atlas/compass/layouts/cgtmatch.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.16
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 16; selected revisions: 5
description:

revision 4.11
date: 1995/03/31 22:07:51; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 31 14:07:48 PST 1995

revision 4.10
date: 1995/03/31 02:51:44; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 4.9
date: 1995/03/31 02:48:27; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:48:22 PST 1995

revision 4.8
date: 1995/03/31 01:07:09; author: chip; state: Exp; lines: +7 -7
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.7
date: 1995/03/29 01:35:02; author: chip; state: Exp; lines: +43 -64
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmatn1.ly,v
working file: atlas/compass/layouts/cgtmatn1.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.1
date: 1995/03/31 01:03:28; author: chip; state: Exp;
periodic checkin of Thu Mar 30 17:03:23 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmiss.ly,v
working file: atlas/compass/layouts/cgtmiss.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.1
date: 1995/04/01 00:02:41; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmnor.ly,v
working file: atlas/compass/layouts/cgtmnor.ly
head: 4.17
branch:
locks: strict

cf Mar 28-April 3 1995.log

access list:

symbolic names:

b4_rich: 4.17

keyword substitution: kv

total revisions: 17; selected revisions: 4

description:

revision 4.5

date: 1995/03/31 01:07:11; author: chip; state: Exp; lines: +7 -6
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.4

date: 1995/03/29 13:54:28; author: chip; state: Exp; lines: +4 -5
periodic checkin of wed Mar 29 05:54:24 PST 1995

revision 4.3

date: 1995/03/29 02:13:30; author: chip; state: Exp; lines: +6 -6
periodic checkin of Tue Mar 28 18:13:26 PST 1995

revision 4.2

date: 1995/03/29 01:35:04; author: chip; state: Exp; lines: +6 -40
periodic checkin of Tue Mar 28 17:34:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmpu.ly,v

Working file: atlas/compass/layouts/cgtmpu.ly

head: 4.19

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.19

keyword substitution: kv

total revisions: 19; selected revisions: 3

description:

revision 4.4

date: 1995/03/31 23:54:03; author: chip; state: Exp; lines: +2 -3
periodic checkin of Fri Mar 31 15:54:00 PST 1995

revision 4.3

date: 1995/03/29 02:13:32; author: chip; state: Exp; lines: +87 -41
periodic checkin of Tue Mar 28 18:13:26 PST 1995

revision 4.2

date: 1995/03/29 01:35:06; author: chip; state: Exp; lines: +178 -142
periodic checkin of Tue Mar 28 17:34:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtmsa.ly,v

Working file: atlas/compass/layouts/cgtmsa.ly

head: 4.20

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.20

keyword substitution: kv

total revisions: 20; selected revisions: 3

description:

revision 4.4

date: 1995/03/31 02:48:30; author: chip; state: Exp; lines: +4 -6

cf Mar 28-April 3 1995.log
periodic checkin of Thu Mar 30 18:48:22 PST 1995

revision 4.3
date: 1995/03/31 02:04:30; author: chip; state: Exp; lines: +16 -13
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 4.2
date: 1995/03/29 01:35:09; author: chip; state: Exp; lines: +330 -252
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtnm.ly,v
working file: atlas/compass/layouts/cgtnm.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/04/01 00:02:43; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtnms_8u.ly,v
working file: atlas/compass/layouts/cgtnms_8u.ly
head: 4.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/29 01:35:12; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtpred.ly,v
working file: atlas/compass/layouts/cgtpred.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 3
description:

revision 4.3
date: 1995/03/31 01:58:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Thu Mar 30 17:58:25 PST 1995

revision 4.2
date: 1995/03/31 01:47:16; author: chip; state: Exp; lines: +8 -6

cf Mar 28-April 3 1995.log
periodic checkin of Thu Mar 30 17:47:12 PST 1995

revision 4.1

date: 1995/03/30 18:52:19; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:52:15 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtrdec.ly,v
working file: atlas/compass/layouts/cgtrdec.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:

revision 4.2

date: 1995/03/30 23:51:37; author: chip; state: Exp; lines: +106 -106
periodic checkin of Thu Mar 30 15:51:33 PST 1995

revision 4.1

date: 1995/03/30 18:54:26; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtrdn1.ly,v
working file: atlas/compass/layouts/cgtrdn1.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:

revision 4.2

date: 1995/03/31 01:15:50; author: chip; state: Exp; lines: +235 -237
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.1

date: 1995/03/29 01:35:14; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtsa.ly,v
working file: atlas/compass/layouts/cgtsa.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 5
description:

revision 4.6

date: 1995/03/31 17:36:38; author: chip; state: Exp; lines: +3 -4

cf Mar 28-April 3 1995.log
periodic checkin of Fri Mar 31 09:36:32 PST 1995

revision 4.5
date: 1995/03/31 02:51:46; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 4.4
date: 1995/03/31 02:48:32; author: chip; state: Exp; lines: +7 -7
periodic checkin of Thu Mar 30 18:48:22 PST 1995

revision 4.3
date: 1995/03/31 01:15:52; author: chip; state: Exp; lines: +27 -25
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.2
date: 1995/03/29 01:35:17; author: chip; state: Exp; lines: +29 -26
periodic checkin of Tue Mar 28 17:34:41 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtvapnff.ly,v
working file: atlas/compass/layouts/cgtvapnff.ly
head: 4.20
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.20
keyword substitution: kv
total revisions: 20; selected revisions: 7
description:

revision 4.8
date: 1995/03/31 17:36:41; author: chip; state: Exp; lines: +10 -10
periodic checkin of Fri Mar 31 09:36:32 PST 1995

revision 4.7
date: 1995/03/31 02:51:49; author: chip; state: Exp; lines: +10 -10
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 4.6
date: 1995/03/31 02:32:15; author: chip; state: Exp; lines: +20 -2
periodic checkin of Thu Mar 30 18:32:08 PST 1995

revision 4.5
date: 1995/03/31 02:11:18; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:11:12 PST 1995

revision 4.4
date: 1995/03/31 02:04:33; author: chip; state: Exp; lines: +9 -10
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 4.3
date: 1995/03/31 01:15:55; author: chip; state: Exp; lines: +402 -405
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.2
date: 1995/03/29 01:38:08; author: chip; state: Exp; lines: +18 -18
periodic checkin of Tue Mar 28 17:38:03 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxddrv.ly,v
working file: atlas/compass/layouts/cgtxddrv.ly
head: 4.7

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 4
description:

revision 4.5
date: 1995/04/01 00:02:45; author: chip; state: Exp; lines: +23 -10
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.4
date: 1995/03/31 03:40:52; author: chip; state: Exp; lines: +7 -7
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.3
date: 1995/03/30 23:39:48; author: chip; state: Exp; lines: +7 -9
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 4.2
date: 1995/03/30 18:54:28; author: chip; state: Exp; lines: +14 -17
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxor.ly,v
working file: atlas/compass/layouts/cgtxor.ly
head: 4.6

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 3
description:

revision 4.4
date: 1995/03/31 03:40:54; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.3
date: 1995/03/31 02:54:59; author: chip; state: Exp; lines: +41 -41
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 4.2
date: 1995/03/30 18:54:29; author: chip; state: Exp; lines: +2 -3
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr1col.ly,v
working file: atlas/compass/layouts/cgtxr1col.ly
head: 4.10

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 5
description:

cf Mar 28-April 3 1995.log

revision 4.6

date: 1995/04/01 00:02:48; author: chip; state: Exp; lines: +7 -7
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.5

date: 1995/03/31 02:55:01; author: chip; state: Exp; lines: +228 -142
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 4.4

date: 1995/03/31 00:14:06; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 16:14:02 PST 1995

revision 4.3

date: 1995/03/30 23:39:50; author: chip; state: Exp; lines: +59 -59
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 4.2

date: 1995/03/30 18:54:31; author: chip; state: Exp; lines: +222 -335
periodic checkin of Thu Mar 30 10:54:22 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr2col.ly,v

working file: atlas/compass/layouts/cgtxr2col.ly

head: 4.8

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.8

keyword substitution: kv

total revisions: 8; selected revisions: 3

description:

revision 4.4

date: 1995/04/01 00:02:50; author: chip; state: Exp; lines: +16 -13
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.3

date: 1995/03/31 03:40:55; author: chip; state: Exp; lines: +313 -201
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.2

date: 1995/03/30 18:54:32; author: chip; state: Exp; lines: +221 -7
periodic checkin of Thu Mar 30 10:54:22 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr74col.ly,v

working file: atlas/compass/layouts/cgtxr74col.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 4.2

date: 1995/04/01 00:02:52; author: chip; state: Exp; lines: +1144 -7
periodic checkin of Fri Mar 31 16:02:29 PST 1995

cf Mar 28-April 3 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/cgtxr8col.ly,v
working file: atlas/compass/layouts/cgtxr8col.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:

revision 4.3
date: 1995/04/01 00:02:54; author: chip; state: Exp; lines: +388 -329
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.2
date: 1995/03/30 18:56:31; author: chip; state: Exp; lines: +357 -7
periodic checkin of Thu Mar 30 10:56:28 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxrdn1.ly,v
working file: atlas/compass/layouts/cgtxrdn1.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.3
keyword substitution: kv
total revisions: 3; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 03:40:57; author: chip; state: Exp; lines: +6 -6
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.1
date: 1995/03/30 18:54:34; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/cgtxsa.ly,v
working file: atlas/compass/layouts/cgtxsa.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 3
description:

revision 4.4
date: 1995/04/01 00:02:57; author: chip; state: Exp; lines: +8 -3
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.3
date: 1995/03/31 03:40:58; author: chip; state: Exp; lines: +9 -9
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.2

cf Mar 28-April 3 1995.log
date: 1995/03/30 18:54:35; author: chip; state: Exp; lines: +8 -15
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_base.ly,v
working file: atlas/compass/layouts/pad_base.ly
head: 4.15
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.15
keyword substitution: kv
total revisions: 15; selected revisions: 4
description:
=====

revision 4.4
date: 1995/03/30 00:35:23; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 16:35:18 PST 1995
=====

revision 4.3
date: 1995/03/29 21:46:12; author: chip; state: Exp; lines: +16 -13
periodic checkin of Wed Mar 29 13:46:10 PST 1995
=====

revision 4.2
date: 1995/03/28 19:04:34; author: chip; state: Exp; lines: +2 -2
periodic checkin of Tue Mar 28 11:04:28 PST 1995
=====

revision 4.1
date: 1995/03/28 17:45:02; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:44:55 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_hem.ly,v
working file: atlas/compass/layouts/pad_hem.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 3
description:
=====

revision 4.7
date: 1995/03/30 00:58:04; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 16:58:00 PST 1995
=====

revision 4.6
date: 1995/03/30 00:35:24; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Mar 29 16:35:18 PST 1995
=====

revision 4.5
date: 1995/03/29 21:46:13; author: chip; state: Exp; lines: +79 -4
periodic checkin of Wed Mar 29 13:46:10 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pad_n_static.ly,v
working file: atlas/compass/layouts/pad_n_static.ly
head: 4.15
branch:
locks: strict

cf Mar 28-April 3 1995.log

```
access list:
symbolic names:
    b4_rich: 4.15
keyword substitution: kv
total revisions: 15;    selected revisions: 1
description:
-----
revision 4.6
date: 1995/03/30 18:08:29; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 30 10:08:24 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/pad_vcell.ly,v
working file: atlas/compass/layouts/pad_vcell.ly
head: 4.4
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.4
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/29 21:44:16; author: chip; state: Exp;
periodic checkin of Wed Mar 29 13:44:12 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/pad_vcell12.ly,v
working file: atlas/compass/layouts/pad_vcell12.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/29 21:44:18; author: chip; state: Exp;
periodic checkin of Wed Mar 29 13:44:12 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/pad_vcell13.ly,v
working file: atlas/compass/layouts/pad_vcell13.ly
head: 4.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/29 21:49:44; author: chip; state: Exp;
periodic checkin of wed Mar 29 13:49:41 PST 1995
=====
```

cf Mar 28-April 3 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/pad_vcell4.ly,v
working file: atlas/compass/layouts/pad_vcell4.ly
head: 4.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 00:35:26; author: chip; state: Exp;
periodic checkin of Wed Mar 29 16:35:18 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padhib.ly,v
working file: atlas/compass/layouts/padhib.ly
head: 4.34
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.34
keyword substitution: kv
total revisions: 34; selected revisions: 3
description:

revision 4.16
date: 1995/03/30 18:04:17; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 4.15
date: 1995/03/30 00:35:28; author: chip; state: Exp; lines: +13 -32
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 4.14
date: 1995/03/28 17:42:54; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvdd.ly,v
working file: atlas/compass/layouts/padintvdd.ly
head: 4.16
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.16
keyword substitution: kv
total revisions: 16; selected revisions: 1
description:

revision 4.7
date: 1995/03/31 22:50:21; author: chip; state: Exp; lines: +4 -4
periodic checkin of Fri Mar 31 14:50:16 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padintvss.ly,v
working file: atlas/compass/layouts/padintvss.ly
head: 4.17
branch:

cf Mar 28-April 3 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.7
date: 1995/03/31 22:50:25; author: chip; state: Exp; lines: +4 -4
periodic checkin of Fri Mar 31 14:50:16 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padttl.ly,v
working file: atlas/compass/layouts/padttl.ly
head: 4.23
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.23
keyword substitution: kv
total revisions: 23; selected revisions: 3
description:

revision 4.15
date: 1995/03/30 18:04:19; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 4.14
date: 1995/03/30 00:35:30; author: chip; state: Exp; lines: +13 -32
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 4.13
date: 1995/03/28 17:42:56; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvdd.ly,v
working file: atlas/compass/layouts/padvdd.ly
head: 2.38
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 2.38
keyword substitution: kv
total revisions: 38; selected revisions: 6
description:

revision 2.27
date: 1995/03/30 18:04:21; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 2.26
date: 1995/03/30 01:09:30; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 17:09:26 PST 1995

revision 2.25
date: 1995/03/30 00:35:32; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 2.24

cf Mar 28-April 3 1995.log
date: 1995/03/29 21:42:20; author: chip; state: Exp; lines: +9 -5
periodic checkin of Wed Mar 29 13:42:17 PST 1995

revision 2.23
date: 1995/03/29 19:09:52; author: chip; state: Exp; lines: +11 -29
periodic checkin of Wed Mar 29 11:09:48 PST 1995

revision 2.22
date: 1995/03/28 17:42:57; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/padvddio.ly,v
working file: atlas/compass/layouts/padvddio.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 6
description:

revision 4.6
date: 1995/03/30 18:27:39; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:27:35 PST 1995

revision 4.5
date: 1995/03/30 00:58:06; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 16:58:00 PST 1995

revision 4.4
date: 1995/03/29 21:49:46; author: chip; state: Exp; lines: +12 -11
periodic checkin of Wed Mar 29 13:49:41 PST 1995

revision 4.3
date: 1995/03/28 19:31:52; author: chip; state: Exp; lines: +6 -13
periodic checkin of Tue Mar 28 11:31:47 PST 1995

revision 4.2
date: 1995/03/28 19:10:24; author: chip; state: Exp; lines: +2 -3
periodic checkin of Tue Mar 28 11:10:18 PST 1995

revision 4.1
date: 1995/03/28 19:01:56; author: chip; state: Exp;
periodic checkin of Tue Mar 28 11:01:54 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/padvss.ly,v
working file: atlas/compass/layouts/padvss.ly
head: 4.31
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.31
keyword substitution: kv
total revisions: 31; selected revisions: 4
description:

revision 4.16
date: 1995/03/31 00:23:16; author: chip; state: Exp; lines: +6 -4
periodic checkin of Thu Mar 30 16:23:12 PST 1995

cf Mar 28-April 3 1995.log

revision 4.15
date: 1995/03/30 18:04:23; author: chip; state: Exp; lines: +9 -8
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 4.14
date: 1995/03/29 21:44:19; author: chip; state: Exp; lines: +17 -31
periodic checkin of Wed Mar 29 13:44:12 PST 1995

revision 4.13
date: 1995/03/28 17:42:59; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/paguardring.ly,v
working file: atlas/compass/layouts/paguardring.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.3
date: 1995/03/30 18:04:25; author: chip; state: Exp; lines: +3 -3
periodic checkin of Thu Mar 30 10:04:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/pascribeseal_crn.ly,v
working file: atlas/compass/layouts/pascribeseal_crn.ly
head: 4.17
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.17
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.5
date: 1995/03/30 18:04:26; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 30 10:04:12 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_48x1.ly,v
working file: atlas/compass/layouts/uh_48x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/31 21:42:30; author: chip; state: Exp;
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/compass/layouts/Attic/uh_53x1.ly,v
working file: atlas/compass/layouts/uh_53x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1; selected revisions: 1
description:

revision 4.1
date: 1995/03/31 21:42:32; author: chip; state: Exp;
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/vlsi.log,v
working file: atlas/compass/layouts/vlsi.log
head: 1.3654
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.3654
keyword substitution: kv
total revisions: 3654; selected revisions: 114
description:

revision 1.680
date: 1995/04/03 04:57:51; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Apr 2 21:57:44 PDT 1995

revision 1.679
date: 1995/04/01 00:06:03; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 16:05:46 PST 1995

revision 1.678
date: 1995/04/01 00:03:02; author: chip; state: Exp; lines: +20 -0
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 1.677
date: 1995/03/31 23:51:10; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 15:51:04 PST 1995

revision 1.676
date: 1995/03/31 22:50:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 14:50:16 PST 1995

revision 1.675
date: 1995/03/31 22:47:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 14:47:20 PST 1995

revision 1.674
date: 1995/03/31 22:37:20; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 31 14:37:13 PST 1995

revision 1.673
date: 1995/03/31 22:34:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 14:34:14 PST 1995

revision 1.672
date: 1995/03/31 22:04:45; author: chip; state: Exp; lines: +7 -0

cf Mar 28-April 3 1995.log
periodic checkin of Fri Mar 31 14:04:28 PST 1995

revision 1.671
date: 1995/03/31 21:50:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 13:50:14 PST 1995

revision 1.670
date: 1995/03/31 21:46:09; author: chip; state: Exp; lines: +66 -0
periodic checkin of Fri Mar 31 13:45:54 PST 1995

revision 1.669
date: 1995/03/31 21:42:37; author: chip; state: Exp; lines: +37 -0
periodic checkin of Fri Mar 31 13:42:22 PST 1995

revision 1.668
date: 1995/03/31 21:39:09; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 13:39:01 PST 1995

revision 1.667
date: 1995/03/31 21:36:02; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:35:56 PST 1995

revision 1.666
date: 1995/03/31 21:33:00; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:32:53 PST 1995

revision 1.665
date: 1995/03/31 21:30:19; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:30:13 PST 1995

revision 1.664
date: 1995/03/31 21:27:39; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:27:32 PST 1995

revision 1.663
date: 1995/03/31 21:25:02; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 13:24:56 PST 1995

revision 1.662
date: 1995/03/31 21:22:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 13:22:15 PST 1995

revision 1.661
date: 1995/03/31 21:19:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 31 13:19:40 PST 1995

revision 1.660
date: 1995/03/31 21:17:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 13:16:55 PST 1995

revision 1.659
date: 1995/03/31 21:14:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 13:14:21 PST 1995

revision 1.658
date: 1995/03/31 21:11:48; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 31 13:11:42 PST 1995

revision 1.657
date: 1995/03/31 21:09:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 13:08:52 PST 1995

revision 1.656

cf Mar 28-April 3 1995.log
date: 1995/03/31 19:38:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 11:38:07 PST 1995

revision 1.655
date: 1995/03/31 19:35:14; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 11:35:07 PST 1995

revision 1.654
date: 1995/03/31 19:31:42; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 11:31:33 PST 1995

revision 1.653
date: 1995/03/31 19:28:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 11:27:55 PST 1995

revision 1.652
date: 1995/03/31 19:05:00; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 11:04:52 PST 1995

revision 1.651
date: 1995/03/31 18:59:55; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 10:59:47 PST 1995

revision 1.650
date: 1995/03/31 18:19:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 10:19:04 PST 1995

revision 1.649
date: 1995/03/31 18:03:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 10:03:00 PST 1995

revision 1.648
date: 1995/03/31 17:36:47; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 31 09:36:32 PST 1995

revision 1.647
date: 1995/03/31 07:04:22; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 23:04:16 PST 1995

revision 1.646
date: 1995/03/31 03:41:02; author: chip; state: Exp; lines: +10 -0
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 1.645
date: 1995/03/31 03:00:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 19:00:02 PST 1995

revision 1.644
date: 1995/03/31 02:57:40; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 30 18:57:35 PST 1995

revision 1.643
date: 1995/03/31 02:55:05; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 1.642
date: 1995/03/31 02:51:53; author: chip; state: Exp; lines: +7 -0
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 1.641
date: 1995/03/31 02:48:36; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 30 18:48:22 PST 1995

cf Mar 28-April 3 1995.log

revision 1.640

date: 1995/03/31 02:45:10; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 30 18:44:58 PST 1995

revision 1.639

date: 1995/03/31 02:41:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:41:34 PST 1995

revision 1.638

date: 1995/03/31 02:32:21; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 18:32:08 PST 1995

revision 1.637

date: 1995/03/31 02:20:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:20:23 PST 1995

revision 1.636

date: 1995/03/31 02:17:37; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:17:29 PST 1995

revision 1.635

date: 1995/03/31 02:14:32; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:14:25 PST 1995

revision 1.634

date: 1995/03/31 02:11:26; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 18:11:12 PST 1995

revision 1.633

date: 1995/03/31 02:08:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:08:01 PST 1995

revision 1.632

date: 1995/03/31 02:04:39; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 1.631

date: 1995/03/31 01:58:34; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 17:58:25 PST 1995

revision 1.630

date: 1995/03/31 01:55:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 17:55:26 PST 1995

revision 1.629

date: 1995/03/31 01:47:21; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 30 17:47:12 PST 1995

revision 1.628

date: 1995/03/31 01:29:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 17:29:51 PST 1995

revision 1.627

date: 1995/03/31 01:19:04; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 17:18:53 PST 1995

revision 1.626

date: 1995/03/31 01:16:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 1.625

date: 1995/03/31 01:07:17; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 17:06:57 PST 1995

cf Mar 28-April 3 1995.log

revision 1.624
date: 1995/03/31 01:03:37; author: chip; state: Exp; lines: +10 -0
periodic checkin of Thu Mar 30 17:03:23 PST 1995

revision 1.623
date: 1995/03/31 00:47:43; author: chip; state: Exp; lines: +10 -0
periodic checkin of Thu Mar 30 16:47:33 PST 1995

revision 1.622
date: 1995/03/31 00:23:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 16:23:12 PST 1995

revision 1.621
date: 1995/03/31 00:21:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 16:21:04 PST 1995

revision 1.620
date: 1995/03/31 00:14:10; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 30 16:14:02 PST 1995

revision 1.619
date: 1995/03/31 00:02:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 16:02:42 PST 1995

revision 1.618
date: 1995/03/30 23:51:41; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 15:51:33 PST 1995

revision 1.617
date: 1995/03/30 23:48:37; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 15:48:30 PST 1995

revision 1.616
date: 1995/03/30 23:39:56; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 1.615
date: 1995/03/30 18:56:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 10:56:28 PST 1995

revision 1.614
date: 1995/03/30 18:54:39; author: chip; state: Exp; lines: +14 -0
periodic checkin of Thu Mar 30 10:54:22 PST 1995

revision 1.613
date: 1995/03/30 18:52:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 10:52:15 PST 1995

revision 1.612
date: 1995/03/30 18:50:20; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 30 10:50:09 PST 1995

revision 1.611
date: 1995/03/30 18:27:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 10:27:35 PST 1995

revision 1.610
date: 1995/03/30 18:04:32; author: chip; state: Exp; lines: +12 -0
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 1.609
date: 1995/03/30 18:01:42; author: chip; state: Exp; lines: +7 -0

cf Mar 28-April 3 1995.log
periodic checkin of Thu Mar 30 10:01:36 PST 1995

revision 1.608
date: 1995/03/30 17:59:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 09:59:24 PST 1995

revision 1.607
date: 1995/03/30 17:57:32; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 09:57:27 PST 1995

revision 1.606
date: 1995/03/30 17:40:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 09:40:53 PST 1995

revision 1.605
date: 1995/03/30 01:09:35; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 17:09:26 PST 1995

revision 1.604
date: 1995/03/30 00:58:11; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 16:58:00 PST 1995

revision 1.603
date: 1995/03/30 00:55:26; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 16:55:21 PST 1995

revision 1.602
date: 1995/03/30 00:53:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:52:57 PST 1995

revision 1.601
date: 1995/03/30 00:38:06; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 16:37:58 PST 1995

revision 1.600
date: 1995/03/30 00:35:36; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 1.599
date: 1995/03/30 00:32:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:32:37 PST 1995

revision 1.598
date: 1995/03/30 00:23:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:23:28 PST 1995

revision 1.597
date: 1995/03/30 00:01:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:01:53 PST 1995

revision 1.596
date: 1995/03/29 21:49:49; author: chip; state: Exp; lines: +7 -0
periodic checkin of Wed Mar 29 13:49:41 PST 1995

revision 1.595
date: 1995/03/29 21:44:22; author: chip; state: Exp; lines: +10 -0
periodic checkin of Wed Mar 29 13:44:12 PST 1995

revision 1.594
date: 1995/03/29 21:42:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 13:42:17 PST 1995

revision 1.593

cf Mar 28-April 3 1995.log
date: 1995/03/29 19:20:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 11:20:50 PST 1995

revision 1.592
date: 1995/03/29 19:09:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 11:09:48 PST 1995

revision 1.591
date: 1995/03/29 18:56:49; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 10:56:44 PST 1995

revision 1.590
date: 1995/03/29 18:48:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:48:08 PST 1995

revision 1.589
date: 1995/03/29 18:45:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:45:45 PST 1995

revision 1.588
date: 1995/03/29 18:41:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:41:03 PST 1995

revision 1.587
date: 1995/03/29 18:38:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:38:19 PST 1995

revision 1.586
date: 1995/03/29 16:43:16; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 08:43:11 PST 1995

revision 1.585
date: 1995/03/29 16:31:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 08:31:36 PST 1995

revision 1.584
date: 1995/03/29 13:54:32; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 05:54:24 PST 1995

revision 1.583
date: 1995/03/29 02:13:36; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 28 18:13:26 PST 1995

revision 1.582
date: 1995/03/29 01:38:15; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Mar 28 17:38:03 PST 1995

revision 1.581
date: 1995/03/29 01:35:21; author: chip; state: Exp; lines: +34 -0
periodic checkin of Tue Mar 28 17:34:41 PST 1995

revision 1.580
date: 1995/03/28 19:31:58; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 28 11:31:47 PST 1995

revision 1.579
date: 1995/03/28 19:25:11; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 11:25:01 PST 1995

revision 1.578
date: 1995/03/28 19:10:28; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 28 11:10:18 PST 1995

cf Mar 28-April 3 1995.log

revision 1.577
date: 1995/03/28 19:04:38; author: chip; state: Exp; lines: +7 -0
periodic checkin of Tue Mar 28 11:04:28 PST 1995

revision 1.576
date: 1995/03/28 18:59:22; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 10:59:14 PST 1995

revision 1.575
date: 1995/03/28 18:35:55; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 10:35:48 PST 1995

revision 1.574
date: 1995/03/28 18:13:12; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 10:13:04 PST 1995

revision 1.573
date: 1995/03/28 17:45:07; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 28 09:44:55 PST 1995

revision 1.572
date: 1995/03/28 17:43:03; author: chip; state: Exp; lines: +11 -0
periodic checkin of Tue Mar 28 09:42:49 PST 1995

revision 1.571
date: 1995/03/28 17:40:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 28 09:40:51 PST 1995

revision 1.570
date: 1995/03/28 17:37:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 09:37:02 PST 1995

revision 1.569
date: 1995/03/28 17:27:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 09:26:58 PST 1995

revision 1.568
date: 1995/03/28 17:18:31; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 28 09:18:20 PST 1995

revision 1.567
date: 1995/03/28 17:04:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 09:04:23 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl12dandn20s.ly,v

working file: atlas/compass/layouts/xl12dandn20s.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:42:42; author: chip; state: Exp; lines: +9 -11

periodic checkin of Fri Mar 31 13:42:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl12dorn20s.ly,v

cf Mar 28-April 3 1995.log
working file: atlas/compass/layouts/xl12dorn20s.ly

head: 4.7
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:43; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl17dandn20s.ly,v

working file: atlas/compass/layouts/xl17dandn20s.ly

head: 4.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:45; author: chip; state: Exp; lines: +10 -12
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl17dorn20s.ly,v

working file: atlas/compass/layouts/xl17dorn20s.ly

head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:47; author: chip; state: Exp; lines: +6 -8
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn10s.ly,v

working file: atlas/compass/layouts/xl2andn10s.ly

head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2

cf Mar 28-April 3 1995.log
date: 1995/03/31 21:42:49; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn160s.ly,v
working file: atlas/compass/layouts/xl2andn160s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:51; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn20s.ly,v
working file: atlas/compass/layouts/xl2andn20s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:52; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn40s.ly,v
working file: atlas/compass/layouts/xl2andn40s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:54; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl2andn80s.ly,v
working file: atlas/compass/layouts/xl2andn80s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10

cf Mar 28-April 3 1995.log

keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:56; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2dandn10s.ly,v
working file: atlas/compass/layouts/xl2dandn10s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:15; author: chip; state: Exp; lines: +7 -9
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2muxn160s.ly,v
working file: atlas/compass/layouts/xl2muxn160s.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:17; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2muxn40s.ly,v
working file: atlas/compass/layouts/xl2muxn40s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:58; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl2muxn80s.ly,v
working file: atlas/compass/layouts/xl2muxn80s.ly
head: 4.10

cf Mar 28-April 3 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
revision 4.2
date: 1995/03/31 21:43:00; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn10s.ly,v
working file: atlas/compass/layouts/xl3andn10s.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.7
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
revision 4.2
date: 1995/03/31 21:43:02; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn160s.ly,v
working file: atlas/compass/layouts/xl3andn160s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.11
keyword substitution: kv
total revisions: 11;    selected revisions: 1
description:
-----
revision 4.2
date: 1995/03/31 21:43:04; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn20s.ly,v
working file: atlas/compass/layouts/xl3andn20s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.8
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
revision 4.2
date: 1995/03/31 21:46:20; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
```

cf Mar 28-April 3 1995.log

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn40s.ly,v
working file: atlas/compass/layouts/xl3andn40s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.10
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:22; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/xl3andn80s.ly,v
working file: atlas/compass/layouts/xl3andn80s.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.9
keyword substitution: kv
total revisions: 9;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:24; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/xl3dandn10s.ly,v
working file: atlas/compass/layouts/xl3dandn10s.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.6
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:27; author: chip; state: Exp; lines: +8 -10
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
=====
RCS file: /p/cvsroot/atlas/compass/layouts/xl3muxn160s.ly,v
working file: atlas/compass/layouts/xl3muxn160s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 4.11
keyword substitution: kv
total revisions: 11;    selected revisions: 1
=====
```

cf Mar 28-April 3 1995.log

description:

revision 4.2
date: 1995/03/31 21:46:30; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x13muxn40s.ly,v
working file: atlas/compass/layouts/x13muxn40s.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:32; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x13muxn80s.ly,v
working file: atlas/compass/layouts/x13muxn80s.ly
head: 4.13
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.13
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:34; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x14andn10s.ly,v
working file: atlas/compass/layouts/x14andn10s.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:36; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/x14andn160s.ly,v
working file: atlas/compass/layouts/x14andn160s.ly
head: 4.14
branch:
locks: strict

cf Mar 28-April 3 1995.log

```
access list:
symbolic names:
  b4_rich: 4.14
keyword substitution: kv
total revisions: 14;    selected revisions: 1
description:
-----
revision 4.2
date: 1995/03/31 21:46:38; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn20s.ly,v
working file: atlas/compass/layouts/xl4andn20s.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 4.7
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:40; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn40s.ly,v
working file: atlas/compass/layouts/xl4andn40s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 4.8
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:42; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas/compass/layouts/xl4andn80s.ly,v
working file: atlas/compass/layouts/xl4andn80s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 4.8
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:44; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

cf Mar 28-April 3 1995.log
RCS file: /p/cvsroot/atlas/compass/layouts/xl4dandn10s.ly,v
working file: atlas/compass/layouts/xl4dandn10s.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:45; author: chip; state: Exp; lines: +8 -10
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4muxn160s.ly,v
working file: atlas/compass/layouts/xl4muxn160s.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:47; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4muxn40s.ly,v
working file: atlas/compass/layouts/xl4muxn40s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:49; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl4muxn80s.ly,v
working file: atlas/compass/layouts/xl4muxn80s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 4.2

date: 1995/03/31 21:46:50; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl5muxn160s.ly,v

working file: atlas/compass/layouts/xl5muxn160s.ly

head: 4.12

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.12

keyword substitution: kv

total revisions: 12; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:46:53; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl5muxn40s.ly,v

working file: atlas/compass/layouts/xl5muxn40s.ly

head: 4.8

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.8

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:46:55; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl5muxn80s.ly,v

working file: atlas/compass/layouts/xl5muxn80s.ly

head: 4.12

branch:

locks: strict

access list:

symbolic names:

b4_rich: 4.12

keyword substitution: kv

total revisions: 12; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:46:57; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6dandn10s.ly,v

working file: atlas/compass/layouts/xl6dandn10s.ly

head: 4.6

branch:

locks: strict

access list:

symbolic names:

cf Mar 28-April 3 1995.log

b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:59; author: chip; state: Exp; lines: +7 -9
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6muxn160s.ly,v
working file: atlas/compass/layouts/xl6muxn160s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:01; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6muxn40s.ly,v
working file: atlas/compass/layouts/xl6muxn40s.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:04; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl6muxn80s.ly,v
working file: atlas/compass/layouts/xl6muxn80s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:06; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl7muxn160s.ly,v
working file: atlas/compass/layouts/xl7muxn160s.ly

cf Mar 28-April 3 1995.log

head: 4.13
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.13
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:08; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl7muxn40s.ly,v
working file: atlas/compass/layouts/xl7muxn40s.ly
head: 4.9
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.9
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:10; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl7muxn80s.ly,v
working file: atlas/compass/layouts/xl7muxn80s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:15; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xl8dandn10s.ly,v
working file: atlas/compass/layouts/xl8dandn10s.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:17; author: chip; state: Exp; lines: +9 -11

cf Mar 28-April 3 1995.log
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl8muxn160s.ly,v
working file: atlas/compass/layouts/xl8muxn160s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:20; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl8muxn40s.ly,v
working file: atlas/compass/layouts/xl8muxn40s.ly
head: 4.12
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.12
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:29; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:50:14 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xl8muxn80s.ly,v
working file: atlas/compass/layouts/xl8muxn80s.ly
head: 4.11
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.11
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:31; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:50:14 PST 1995

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq160s.ly,v
working file: atlas/compass/layouts/xldlaq160s.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.8
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:34; author: chip; state: Exp; lines: +355 -244
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq20s.ly,v
working file: atlas/compass/layouts/xldlaq20s.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.10
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:36; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq40s.ly,v
working file: atlas/compass/layouts/xldlaq40s.ly
head: 4.6
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:38; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlaq80s.ly,v
working file: atlas/compass/layouts/xldlaq80s.ly
head: 4.7
branch:
locks: strict
access list:
symbolic names:
b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:41; author: chip; state: Exp; lines: +5 -5
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xldlbq160s.ly,v
working file: atlas/compass/layouts/xldlbq160s.ly
head: 4.7
branch:

cf Mar 28-April 3 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 4.7
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:44; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xsvia1.ly,v
working file: atlas/compass/layouts/xsvia1.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 22:37:25; author: chip; state: Exp; lines: +4 -2
periodic checkin of Fri Mar 31 14:37:13 PST 1995
=====

RCS file: /p/cvsroot/atlas/compass/layouts/xsvia2.ly,v
working file: atlas/compass/layouts/xsvia2.ly
head: 4.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 4.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 22:40:03; author: chip; state: Exp; lines: +4 -2
periodic checkin of Fri Mar 31 14:39:58 PST 1995
=====

RCS file: /p/cvsroot/atlas/ged/BOM,v
working file: atlas/ged/BOM
head: 22.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 22.0
keyword substitution: kv
total revisions: 654; selected revisions: 7
description:

revision 6.11
date: 1995/03/31 19:17:03; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

cf Mar.28-April 3 1995.log
Edits for ged2spice compilation.

revision 6.10
date: 1995/03/31 03:05:39; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 6.9
date: 1995/03/31 01:05:12; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 6.8
date: 1995/03/30 20:05:40; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d_am)

revision 6.7
date: 1995/03/30 20:00:39; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 6.6
date: 1995/03/30 19:34:16; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 6.5
date: 1995/03/29 18:32:45; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====
RCS file: /p/cvsroot/atlas/ged/xv/BOM,v
working file: atlas/ged/xv/BOM
head: 33.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 33.0
keyword substitution: kv
total revisions: 102; selected revisions: 10
description:
releasebom adding BOM

revision 17.0
date: 1995/03/31 19:16:50; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 16.1
date: 1995/03/31 19:16:42; author: ong; state: Exp; lines: +12 -12
releasebom: File needs to be up-to-date to use commit -r

cf Mar 28-April 3 1995.log

revision 16.0

date: 1995/03/31 03:05:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 15.5

date: 1995/03/31 03:05:18; author: ong; state: Exp; lines: +23 -5
releasebom: File needs to be up-to-date to use commit -r

revision 15.4

date: 1995/03/31 01:05:02; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 15.3

date: 1995/03/30 20:05:30; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d_am)

revision 15.2

date: 1995/03/30 20:00:27; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 15.1

date: 1995/03/30 19:34:08; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 15.0

date: 1995/03/29 18:32:36; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 14.3

date: 1995/03/29 18:32:28; author: tom; state: Exp; lines: +7 -11
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/BOM,v

working file: atlas/ged/xv/xv12andffq/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 7.0

keyword substitution: kv

total revisions: 12; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 02:52:40; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

cf Mar 28-April 3 1995.log

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 02:52:32; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/body.1.1,v

working file: atlas/ged/xv/xv12andffq/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:41:25; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/body.2.1,v

working file: atlas/ged/xv/xv12andffq/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:41:29; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/spice.1.1,v

working file: atlas/ged/xv/xv12andffq/spice.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:41:31; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andffq/spice_cn.1.1,v

working file: atlas/ged/xv/xv12andffq/spice_cn.1.1

head: 1.6

branch:

locks: strict

cf Mar 28-April 3 1995.log

```
access list:
symbolic names:
  b4_rich: 1.6
keyword substitution: kv
total revisions: 6;      selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:41:34; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/BOM,v
working file: atlas/ged/xv/xv12andlbn/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 6.0
keyword substitution: kv
total revisions: 10;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/31 02:53:00; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 1.1
date: 1995/03/31 02:52:52; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/body.1.1,v
working file: atlas/ged/xv/xv12andlbn/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:41:48; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/body.2.1,v
working file: atlas/ged/xv/xv12andlbn/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.2
keyword substitution: kv
total revisions: 2;      selected revisions: 1
```

cf Mar 28-April 3 1995.log

description:

revision 1.1

date: 1995/03/31 02:41:51; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/spice.1.1,v
working file: atlas/ged/xv/xv12andlbn/spice.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1

date: 1995/03/31 02:41:53; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12andlbn/spice_cn.1.1,v
working file: atlas/ged/xv/xv12andlbn/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1

date: 1995/03/31 02:41:56; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12dandn/BOM,v
working file: atlas/ged/xv/xv12dandn/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 5.0
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:
releasebom adding BOM

revision 3.0

date: 1995/03/31 19:06:20; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1

date: 1995/03/31 19:06:12; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

cf Mar 28-April 3 1995.log

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv12dandn/spice.1.1,v
Working file: atlas/ged/xv/xv12dandn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 18:16:37; author: ong; state: Exp; lines: +860 -860
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv12dandn/spice_cn.1.1,v
Working file: atlas/ged/xv/xv12dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 18:16:44; author: ong; state: Exp; lines: +238 -238
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/BOM,v
Working file: atlas/ged/xv/xv12orlan/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 7.0
keyword substitution: kv
total revisions: 12;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/31 02:53:40; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 1.1
date: 1995/03/31 02:53:32; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/body.1.1,v
```

cf Mar 28-April 3 1995.log
working file: atlas/ged/xv/xv12orlan/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:06; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/body.2.1,v
working file: atlas/ged/xv/xv12orlan/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:09; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/spice.1.1,v
working file: atlas/ged/xv/xv12orlan/spice.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:11; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv12orlan/spice_cn.1.1,v
working file: atlas/ged/xv/xv12orlan/spice_cn.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1

cf Mar 28-April 3 1995.log
date: 1995/03/31 02:42:14; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/BOM,v
working file: atlas/ged/xv/xv17andffq/BOM
head: 9.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 9.0
keyword substitution: kv
total revisions: 16; selected revisions: 4
description:
releasebom adding BOM

revision 5.0
date: 1995/03/30 20:00:15; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 4.1
date: 1995/03/30 20:00:07; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/03/29 18:26:50; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 3.1
date: 1995/03/29 18:26:43; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice.1.1,v
working file: atlas/ged/xv/xv17andffq/spice.1.1
head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:

revision 1.4
date: 1995/03/30 19:59:26; author: ong; state: Exp; lines: +838 -826
Change latch following xv17dandn to xvdlbq

revision 1.3
date: 1995/03/29 18:24:45; author: tom; state: Exp; lines: +830 -818
added strength parameters to composite cells, changed brackets to braces in some bodies

RCS file: /p/cvsroot/atlas/ged/xv/xv17andffq/spice_cn.1.1,v
working file: atlas/ged/xv/xv17andffq/spice_cn.1.1

cf Mar 28-April 3 1995.log

head: 1.8

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.8

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

revision 1.4

date: 1995/03/30 19:59:32; author: ong; state: Exp; lines: +276 -276

Change latch following xv17dandn to xvd1bq

revision 1.3

date: 1995/03/29 18:24:51; author: tom; state: Exp; lines: +277 -277

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17and1bn/BOM,v

working file: atlas/ged/xv/xv17and1bn/BOM

head: 9.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 9.0

keyword substitution: kv

total revisions: 16; selected revisions: 4

description:

releasebom adding BOM

revision 5.0

date: 1995/03/31 02:54:17; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 4.1

date: 1995/03/31 02:54:07; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

revision 4.0

date: 1995/03/29 18:27:16; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 3.1

date: 1995/03/29 18:27:08; author: tom; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17and1bn/spice.1.1,v

working file: atlas/ged/xv/xv17and1bn/spice.1.1

head: 1.8

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.8

cf Mar 28-April 3 1995.log

keyword substitution: kv
total revisions: 8; selected revisions: 2
description:

revision 1.4
date: 1995/03/31 02:43:21; author: ong; state: Exp; lines: +791 -783
Added superfluous notes.

revision 1.3
date: 1995/03/29 18:25:01; author: tom; state: Exp; lines: +788 -780
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17andlbn/spice_cn.1.1,v
working file: atlas/ged/xv/xv17andlbn/spice_cn.1.1
head: 1.8
branch:
locks: strict
access list:
symbolic names:

b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:

revision 1.4
date: 1995/03/31 02:43:26; author: ong; state: Exp; lines: +223 -223
Added superfluous notes.

revision 1.3
date: 1995/03/29 18:25:07; author: tom; state: Exp; lines: +226 -226
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17dandn/BOM,v
working file: atlas/ged/xv/xv17dandn/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:

b4_rich: 5.0
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/30 19:33:57; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 2.1
date: 1995/03/30 19:33:49; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17dandn/spice.1.1,v
working file: atlas/ged/xv/xv17dandn/spice.1.1
head: 1.3

cf Mar 28-April 3 1995.log

```
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/30 17:41:00; author: ong; state: Exp; lines: +1130 -1130
Change capacitor labels to match pin names of phi_am & q_bnm
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv17dandn/spice_cn.1.1,v
working file: atlas/ged/xv/xv17dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/30 17:41:08; author: ong; state: Exp; lines: +316 -316
Change capacitor labels to match pin names of phi_am & q_bnm
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/BOM,v
working file: atlas/ged/xv/xv17orlan/BOM
head: 11.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 11.0
keyword substitution: kv
total revisions: 20;      selected revisions: 6
description:
releasebom adding BOM
-----
```

```
revision 6.0
date: 1995/03/31 02:55:00; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 5.1
date: 1995/03/31 02:54:51; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
```

```
revision 5.0
date: 1995/03/31 01:04:51; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv17orlan
```

reinstantiated xvdlaq to catch pin name change

```
-----
revision 4.1
date: 1995/03/31 01:04:43; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
```


cf Mar 28-April 3 1995.log

revision 4.0
date: 1995/03/29 18:27:51; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 3.1
date: 1995/03/29 18:27:44; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/spice.1.1,v
working file: atlas/ged/xv/xv17orlan/spice.1.1
head: 1.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.10
keyword substitution: kv
total revisions: 10; selected revisions: 3
description:

revision 1.5
date: 1995/03/31 02:44:23; author: ong; state: Exp; lines: +826 -818
Changed parms for xvdlaq + added superfluous notes

revision 1.4
date: 1995/03/31 01:04:15; author: tom; state: Exp; lines: +820 -820
reinstantiated xvdlaq to catch pin name change

revision 1.3
date: 1995/03/29 18:25:12; author: tom; state: Exp; lines: +820 -812
added strength parameters to composite cells, changed brackets to braces in some bodies
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv17orlan/spice_cn.1.1,v
working file: atlas/ged/xv/xv17orlan/spice_cn.1.1
head: 1.10
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.10
keyword substitution: kv
total revisions: 10; selected revisions: 3
description:

revision 1.5
date: 1995/03/31 02:44:28; author: ong; state: Exp; lines: +222 -222
Changed parms for xvdlaq + added superfluous notes

revision 1.4
date: 1995/03/31 01:04:20; author: tom; state: Exp; lines: +224 -224
reinstantiated xvdlaq to catch pin name change

revision 1.3
date: 1995/03/29 18:25:18; author: tom; state: Exp; lines: +263 -263
added strength parameters to composite cells, changed brackets to braces in some bodies

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/BOM,v
working file: atlas/ged/xv/xv2andffq/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 5.0
keyword substitution: kv
total revisions: 8;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 2.0
date: 1995/03/31 02:55:22; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 1.1
date: 1995/03/31 02:55:14; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/body.1.1,v
working file: atlas/ged/xv/xv2andffq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:44:42; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/body.2.1,v
working file: atlas/ged/xv/xv2andffq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:44:44; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/spice.1.1,v
working file: atlas/ged/xv/xv2andffq/spice.1.1
head: 1.4
```

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:46; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andffq/spice_cn.1.1,v
working file: atlas/ged/xv/xv2andffq/spice_cn.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:49; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/BOM,v
working file: atlas/ged/xv/xv2andlbn/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 6.0
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:55:45; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:55:36; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/body.1.1,v
working file: atlas/ged/xv/xv2andlbn/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2

cf Mar 28-April 3 1995.log

keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:57; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/body.2.1,v
working file: atlas/ged/xv/xv2andlbn/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:59; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/spice.1.1,v
working file: atlas/ged/xv/xv2andlbn/spice.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:01; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2andlbn/spice_cn.1.1,v
working file: atlas/ged/xv/xv2andlbn/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:04; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2dandn/BOM,v
working file: atlas/ged/xv/xv2dandn/BOM
head: 5.0

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
 b4_rich: 5.0
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:08:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:07:53; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2dandn/spice.1.1,v
working file: atlas/ged/xv/xv2dandn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:16:50; author: ong; state: Exp; lines: +284 -284
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2dandn/spice_cn.1.1,v
working file: atlas/ged/xv/xv2dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:16:53; author: ong; state: Exp; lines: +76 -76
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/BOM,v
working file: atlas/ged/xv/xv2orlan/BOM
head: 6.0
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 02:56:40; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 02:56:31; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/body.1.1,v

Working file: atlas/ged/xv/xv2orlan/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:45:13; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/body.2.1,v

Working file: atlas/ged/xv/xv2orlan/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:45:15; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/spice.1.1,v

Working file: atlas/ged/xv/xv2orlan/spice.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

cf Mar 28-April 3 1995.log

revision 1.1
date: 1995/03/31 02:45:18; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv2orlan/spice_cn.1.1,v
working file: atlas/ged/xv/xv2orlan/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:20; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/BOM,v
working file: atlas/ged/xv/xv3andffq/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 5.0
keyword substitution: kv
total revisions: 8; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:57:17; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:57:08; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/body.1.1,v
working file: atlas/ged/xv/xv3andffq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:30; author: ong; state: Exp;
New schematic for xs* cells.
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/body.2.1,v
working file: atlas/ged/xv/xv3andffq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:32; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/spice.1.1,v
working file: atlas/ged/xv/xv3andffq/spice.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:35; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andffq/spice_cn.1.1,v
working file: atlas/ged/xv/xv3andffq/spice_cn.1.1
head: 1.4
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.4
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:37; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3andlbn/BOM,v
working file: atlas/ged/xv/xv3andlbn/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 6.0
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:

cf Mar 28-April 3 1995.log

releasebom adding BOM

revision 2.0

date: 1995/03/31 02:57:39; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 02:57:30; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/body.1.1,v

working file: atlas/ged/xv/xv3and1bn/body.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:45:48; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/body.2.1,v

working file: atlas/ged/xv/xv3and1bn/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:45:51; author: ong; state: Exp;

New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/spice.1.1,v

working file: atlas/ged/xv/xv3and1bn/spice.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:45:53; author: ong; state: Exp;

New schematic for xs* cells.

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv3and1bn/spice_cn.1.1,v
working file: atlas/ged/xv/xv3and1bn/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:56; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/BOM,v
working file: atlas/ged/xv/xv3dandn/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 6.0
keyword substitution: kv
total revisions: 10; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/03/31 19:09:19; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 3.1
date: 1995/03/31 19:09:11; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/03/31 02:58:11; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 2.1
date: 1995/03/31 02:58:04; author: ong; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/body.1.1,v
working file: atlas/ged/xv/xv3dandn/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 1.2
date: 1995/03/31 02:46:08; author: ong; state: Exp; lines: +22 -22
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/spice.1.1,v
working file: atlas/ged/xv/xv3dandn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:16:59; author: ong; state: Exp; lines: +341 -341
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3dandn/spice_cn.1.1,v
working file: atlas/ged/xv/xv3dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:02; author: ong; state: Exp; lines: +86 -86
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/BOM,v
working file: atlas/ged/xv/xv3orlan/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 6.0
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:58:43; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:58:36; author: ong; state: Exp;

cf Mar 28-April 3 1995.log
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/body.1.1,v
working file: atlas/ged/xv/xv3orlan/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:24; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/body.2.1,v
working file: atlas/ged/xv/xv3orlan/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:27; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/spice.1.1,v
working file: atlas/ged/xv/xv3orlan/spice.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:29; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv3orlan/spice_cn.1.1,v
working file: atlas/ged/xv/xv3orlan/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:33; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/BOM,v
working file: atlas/ged/xv/xv4andffq/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 6.0
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:59:10; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:59:02; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/body.1.1,v
working file: atlas/ged/xv/xv4andffq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:00; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/body.2.1,v
working file: atlas/ged/xv/xv4andffq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:03; author: ong; state: Exp;

cf Mar 28-April 3 1995.log

New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/spice.1.1,v
working file: atlas/ged/xv/xv4andffq/spice.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:06; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv4andffq/spice_cn.1.1,v
working file: atlas/ged/xv/xv4andffq/spice_cn.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.5
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:09; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/BOM,v
working file: atlas/ged/xv/xv4andlbn/BOM
head: 8.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 8.0
keyword substitution: kv
total revisions: 14; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:59:28; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:59:21; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/body.1.1,v
working file: atlas/ged/xv/xv4andlbn/body.1.1

cf Mar 28-April 3 1995.log

```
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:47:17; author: ong; state: Exp;
New schematic for xs* cells.
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/body.2.1,v
working file: atlas/ged/xv/xv4andlbn/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:47:19; author: ong; state: Exp;
New schematic for xs* cells.
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/spice.1.1,v
working file: atlas/ged/xv/xv4andlbn/spice.1.1
head: 1.7
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.7
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:47:23; author: ong; state: Exp;
New schematic for xs* cells.
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv4andlbn/spice_cn.1.1,v
working file: atlas/ged/xv/xv4andlbn/spice_cn.1.1
head: 1.7
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.7
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:47:26; author: ong; state: Exp;
```

cf Mar 28-April 3 1995.log

New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv4dandn/BOM,v
working file: atlas/ged/xv/xv4dandn/BOM
head: 6.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 6.0
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:10:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:10:29; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas/ged/xv/xv4dandn/spice.1.1,v
working file: atlas/ged/xv/xv4dandn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:09; author: ong; state: Exp; lines: +25 -25
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am

RCS file: /p/cvsroot/atlas/ged/xv/xv4dandn/spice_cn.1.1,v
working file: atlas/ged/xv/xv4dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:12; author: ong; state: Exp; lines: +28 -28
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am

cf Mar 28-April 3 1995.log
RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/BOM,v
working file: atlas/ged/xv/xv4orlan/BOM
head: 7.0

branch:
locks: strict
access list:
symbolic names:
b4_rich: 7.0
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 03:00:19; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:00:12; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/body.1.1,v
working file: atlas/ged/xv/xv4orlan/body.1.1
head: 1.2

branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:34; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/body.2.1,v
working file: atlas/ged/xv/xv4orlan/body.2.1
head: 1.2

branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:37; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/spice.1.1,v
working file: atlas/ged/xv/xv4orlan/spice.1.1
head: 1.6
branch:
locks: strict

cf Mar 28-April 3 1995.log

```
access list:
symbolic names:
    b4_rich: 1.6
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:47:39; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv4orlan/spice_cn.1.1,v
working file: atlas/ged/xv/xv4orlan/spice_cn.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.6
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:47:42; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/BOM,v
working file: atlas/ged/xv/xv6andffq/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 5.0
keyword substitution: kv
total revisions: 8;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/31 03:00:51; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 1.1
date: 1995/03/31 03:00:44; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/body.1.1,v
working file: atlas/ged/xv/xv6andffq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
```

cf Mar 28-April 3 1995.log

description:

revision 1.1

date: 1995/03/31 02:47:49; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/body.2.1,v

working file: atlas/ged/xv/xv6andffq/body.2.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:47:53; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/spice.1.1,v

working file: atlas/ged/xv/xv6andffq/spice.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:47:56; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andffq/spice_cn.1.1,v

working file: atlas/ged/xv/xv6andffq/spice_cn.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:47:59; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andlbn/BOM,v

working file: atlas/ged/xv/xv6andlbn/BOM

head: 6.0

branch:

locks: strict

cf Mar 28-April 3 1995.log

```
access list:
symbolic names:
    b4_rich: 6.0
keyword substitution: kv
total revisions: 10;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/31 03:01:12; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 1.1
date: 1995/03/31 03:01:04; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv6andlbn/body.1.1,v
working file: atlas/ged/xv/xv6andlbn/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:48:11; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv6andlbn/body.2.1,v
working file: atlas/ged/xv/xv6andlbn/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:48:13; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv6andlbn/spice.1.1,v
working file: atlas/ged/xv/xv6andlbn/spice.1.1
head: 1.5
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.5
keyword substitution: kv
total revisions: 5;    selected revisions: 1
```

cf Mar 28-April 3 1995.log

description:

revision 1.1

date: 1995/03/31 02:48:15; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6andlbn/spice_cn.1.1,v

working file: atlas/ged/xv/xv6andlbn/spice_cn.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:48:18; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6dandn/BOM,v

working file: atlas/ged/xv/xv6dandn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/31 19:11:51; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1

date: 1995/03/31 19:11:43; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6dandn/spice.1.1,v

working file: atlas/ged/xv/xv6dandn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 18:17:18; author: ong; state: Exp; lines: +514 -514
Changed node names on capacitor from q_anm and phi_bm to

cf Mar 28-April 3 1995.log

q_bnm and phi_am

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv6dandn/spice_cn.1.1,v
working file: atlas/ged/xv/xv6dandn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/31 18:17:22; author: ong; state: Exp; lines: +142 -142
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv6muxn/BOM,v
working file: atlas/ged/xv/xv6muxn/BOM
head: 5.0
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 5.0
keyword substitution: kv
total revisions: 8;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 3.0
date: 1995/03/31 19:12:23; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
-----
revision 2.1
date: 1995/03/31 19:12:16; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv6muxn/spice.1.1,v
working file: atlas/ged/xv/xv6muxn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.3
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/31 19:01:31; author: ong; state: Exp; lines: +722 -726
Reattached [NMOS N2]' parms to transistor
=====
```

RCS file: /p/cvsroot/atlas/ged/xv/xv6muxn/spice_cn.1.1,v

cf Mar 28-April 3 1995.log
working file: atlas/ged/xv/xv6muxn/spice_cn.1.1

head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 19:01:35; author: ong; state: Exp; lines: +151 -150
Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/BOM,v

working file: atlas/ged/xv/xv6orlan/BOM

head: 7.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 7.0
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 03:01:52; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:01:45; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/body.1.1,v

working file: atlas/ged/xv/xv6orlan/body.1.1

head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:31; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/body.2.1,v

working file: atlas/ged/xv/xv6orlan/body.2.1

head: 1.2
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:48:33; author: ong; state: Exp;

New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/spice.1.1,v

working file: atlas/ged/xv/xv6orlan/spice.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:48:36; author: ong; state: Exp;

New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv6orlan/spice_cn.1.1,v

working file: atlas/ged/xv/xv6orlan/spice_cn.1.1

head: 1.6

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.6

keyword substitution: kv

total revisions: 6; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:48:39; author: ong; state: Exp;

New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv7muxn/BOM,v

working file: atlas/ged/xv/xv7muxn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/31 19:12:56; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

cf Mar 28-April 3 1995.log

revision 2.1
date: 1995/03/31 19:12:49; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv7muxn/spice.1.1,v
working file: atlas/ged/xv/xv7muxn/spice.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 19:01:47; author: ong; state: Exp; lines: +813 -813
Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv7muxn/spice_cn.1.1,v
working file: atlas/ged/xv/xv7muxn/spice_cn.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 19:01:55; author: ong; state: Exp; lines: +189 -187
Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/BOM,v
working file: atlas/ged/xv/xv8andffq/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 7.0
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 03:02:20; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:02:12; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/body.1.1,v
working file: atlas/ged/xv/xv8andffq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:47; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/body.2.1,v
working file: atlas/ged/xv/xv8andffq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:49; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/spice.1.1,v
working file: atlas/ged/xv/xv8andffq/spice.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:52; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andffq/spice_cn.1.1,v
working file: atlas/ged/xv/xv8andffq/spice_cn.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 1.1
date: 1995/03/31 02:48:54; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/BOM,v
working file: atlas/ged/xv/xv8andlbn/BOM
head: 10.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 10.0
keyword substitution: kv
total revisions: 18; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 03:02:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:02:31; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/body.1.1,v
working file: atlas/ged/xv/xv8andlbn/body.1.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:04; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/body.2.1,v
working file: atlas/ged/xv/xv8andlbn/body.2.1
head: 1.3
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.3
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:07; author: ong; state: Exp;
New schematic for xs* cells.
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/spice.1.1,v
working file: atlas/ged/xv/xv8andlbn/spice.1.1
head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:09; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8andlbn/spice_cn.1.1,v
working file: atlas/ged/xv/xv8andlbn/spice_cn.1.1
head: 1.8
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.8
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:11; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8dandn/BOM,v
working file: atlas/ged/xv/xv8dandn/BOM
head: 7.0
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 7.0
keyword substitution: kv
total revisions: 12; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:13:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:13:29; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8dandn/spice.1.1,v
working file: atlas/ged/xv/xv8dandn/spice.1.1
head: 1.3
branch:

cf Mar 28-April 3 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 18:17:30; author: ong; state: Exp; lines: +627 -627

Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8dandn/spice_cn.1.1,v

working file: atlas/ged/xv/xv8dandn/spice_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 18:17:35; author: ong; state: Exp; lines: +173 -173

Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/BOM,v

working file: atlas/ged/xv/xv8muxffn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/29 18:30:41; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some
bodies

revision 2.1

date: 1995/03/29 18:30:34; author: tom; state: Exp; lines: +5 -5

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/body.1.1,v

working file: atlas/ged/xv/xv8muxffn/body.1.1

head: 1.4

branch:

locks: strict

access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:22; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/body.2.1,v

working file: atlas/ged/xv/xv8muxffn/body.2.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:24; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/spice.1.1,v

working file: atlas/ged/xv/xv8muxffn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:26; author: tom; state: Exp; lines: +670 -666

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxffn/spice_cn.1.1,v

working file: atlas/ged/xv/xv8muxffn/spice_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:29; author: tom; state: Exp; lines: +177 -177

added strength parameters to composite cells, changed brackets to braces in some

bodies

```
=====
RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/BOM,v
working file: atlas/ged/xv/xv8muxlaq/BOM
head: 4.0
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 4.0
keyword substitution: kv
total revisions: 6;    selected revisions: 4
description:
releasebom adding BOM
-----
revision 4.0
date: 1995/03/31 19:14:22; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
-----
revision 3.1
date: 1995/03/31 19:14:14; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
revision 3.0
date: 1995/03/29 18:31:10; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

added strength parameters to composite cells, changed brackets to braces in some bodies

```
-----
revision 2.1
date: 1995/03/29 18:31:02; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/body.1.1,v
working file: atlas/ged/xv/xv8muxlaq/body.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
  b4_rich: 1.2
keyword substitution: kv
total revisions: 2;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/29 18:25:33; author: tom; state: Exp; lines: +1 -1
added strength parameters to composite cells, changed brackets to braces in some bodies
=====
```

```
RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/body.2.1,v
working file: atlas/ged/xv/xv8muxlaq/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
```

cf Mar 28-April 3 1995.log

b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/03/29 18:25:35; author: tom; state: Exp; lines: +1 -1
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/spice.1.1,v
Working file: atlas/ged/xv/xv8muxlaq/spice.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/03/29 19:02:19; author: ong; state: Exp; lines: +964 -964
Reattached '[NMOS N5]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlaq/spice_cn.1.1,v
Working file: atlas/ged/xv/xv8muxlaq/spice_cn.1.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 19:02:26; author: ong; state: Exp; lines: +232 -230
Reattached '[NMOS N5]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxlbq/BOM,v
Working file: atlas/ged/xv/xv8muxlbq/BOM
head: 3.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 3.0
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:14:45; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

cf Mar 28-April 3 1995.log

revision 2.1

date: 1995/03/31 19:14:37; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8mux1bq/spice.1.1,v

working file: atlas/ged/xv/xv8mux1bq/spice.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:02:39; author: ong; state: Exp; lines: +154 -154

Reattached '[NMOS N5]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8mux1bq/spice_cn.1.1,v

working file: atlas/ged/xv/xv8mux1bq/spice_cn.1.1

head: 1.2

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.2

keyword substitution: kv

total revisions: 2; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:02:42; author: ong; state: Exp; lines: +123 -121

Reattached '[NMOS N5]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxn/BOM,v

working file: atlas/ged/xv/xv8muxn/BOM

head: 5.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 5.0

keyword substitution: kv

total revisions: 8; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/31 19:15:10; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1

date: 1995/03/31 19:15:02; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxn/spice.1.1,v
working file: atlas/ged/xv/xv8muxn/spice.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:02:54; author: ong; state: Exp; lines: +898 -898

Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8muxn/spice_cn.1.1,v

working file: atlas/ged/xv/xv8muxn/spice_cn.1.1

head: 1.3

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.3

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:03:01; author: ong; state: Exp; lines: +245 -243

Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/BOM,v

working file: atlas/ged/xv/xv8orlan/BOM

head: 7.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 7.0

keyword substitution: kv

total revisions: 12; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 03:03:46; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 03:03:38; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/body.1.1,v

working file: atlas/ged/xv/xv8orlan/body.1.1

head: 1.2

branch:

cf Mar 28-April 3 1995.log

locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:19; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/body.2.1,v
working file: atlas/ged/xv/xv8orlan/body.2.1
head: 1.2
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.2
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:22; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/spice.1.1,v
working file: atlas/ged/xv/xv8orlan/spice.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:25; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas/ged/xv/xv8orlan/spice_cn.1.1,v
working file: atlas/ged/xv/xv8orlan/spice_cn.1.1
head: 1.6
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 1.6
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:27; author: ong; state: Exp;
New schematic for xs* cells.

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas/ged/xv/xvdlag/BOM,v
working file: atlas/ged/xv/xvdlag/BOM

head: 6.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/30 20:05:18; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv/xvdlag

changed pin name on body to match schematic (d_am)

revision 2.1

date: 1995/03/30 20:05:09; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlag/body.1.1,v

working file: atlas/ged/xv/xvdlag/body.1.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/30 20:01:59; author: ong; state: Exp; lines: +16 -16

Change pin name on body from d0_am to d_am

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvdlag/body.2.1,v

working file: atlas/ged/xv/xvdlag/body.2.1

head: 1.4

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.4

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/30 20:02:01; author: ong; state: Exp; lines: +17 -17

Change pin name on body from d0_am to d_am

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/BOM,v

working file: atlas/ged/xv/xvffq/BOM

head: 6.0

branch:

cf Mar 28-April 3 1995.log

locks: strict

access list:

symbolic names:

b4_rich: 6.0

keyword substitution: kv

total revisions: 10; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/31 03:04:33; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 2.1

date: 1995/03/31 03:04:25; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice.1.1,v

working file: atlas/ged/xv/xvffq/spice.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 02:50:02; author: ong; state: Exp; lines: +194 -178

Change parameters to make xs* cells.

=====

RCS file: /p/cvsroot/atlas/ged/xv/xvffq/spice_cn.1.1,v

working file: atlas/ged/xv/xvffq/spice_cn.1.1

head: 1.5

branch:

locks: strict

access list:

symbolic names:

b4_rich: 1.5

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 02:50:05; author: ong; state: Exp; lines: +47 -47

Change parameters to make xs* cells.

=====

RCS file: /p/cvsroot/atlas/leafgen/BOM,v

working file: atlas/leafgen/BOM

head: 45.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 45.0

keyword substitution: kv

```

                                cf Mar 28-April 3 1995.log
total revisions: 129;   selected revisions: 8
description:
releasebom adding BOM
-----
revision 12.0
date: 1995/03/31 19:15:17; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

add edif netlist generation
-----
revision 11.1
date: 1995/03/31 19:15:08; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
revision 11.0
date: 1995/03/30 19:14:42; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status
-----
revision 10.1
date: 1995/03/30 19:14:35; author: tom; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r
-----
revision 10.0
date: 1995/03/30 04:49:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

improve dependencies; build netlist for one-lobe xs cells
-----
revision 9.1
date: 1995/03/30 04:48:59; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
-----
revision 9.0
date: 1995/03/29 18:34:06; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far
-----
revision 8.1
date: 1995/03/29 18:33:59; author: tom; state: Exp; lines: +4 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas/leafgen/Makefile,v
working file: atlas/leafgen/Makefile
head: 1.33
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 1.33
keyword substitution: kv
total revisions: 33;   selected revisions: 4
description:
-----
revision 1.14
date: 1995/03/31 19:14:09; author: tom; state: Exp; lines: +31 -3
add edif netlist generation
-----
revision 1.13
date: 1995/03/30 19:13:19; author: tom; state: Exp; lines: +4 -2

```

```

                                cf Mar 28-April 3 1995.log
fix call to inferLobes: pass CHIPROOT to it, and check error status
-----
revision 1.12
date: 1995/03/30 04:48:03; author: tom; state: Exp; lines: +24 -9
improve dependencies; build netlist for one-lobe xs cells
-----
revision 1.11
date: 1995/03/29 18:33:15; author: tom; state: Exp; lines: +63 -30
first shot at building xs cells -- only works for hierarchical cells, so far
=====

RCS file: /p/cvsroot/atlas/leafgen/inferLobes,v
working file: atlas/leafgen/inferLobes
head: 8.1
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 8.1
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
revision 8.1
date: 1995/03/29 18:33:17; author: tom; state: Exp;
first shot at building xs cells -- only works for hierarchical cells, so far
=====

RCS file: /p/cvsroot/atlas/leafgen/makeDepend,v
working file: atlas/leafgen/makeDepend
head: 3.15
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 3.15
keyword substitution: kv
total revisions: 15;    selected revisions: 3
description:
-----
revision 3.10
date: 1995/03/31 19:14:11; author: tom; state: Exp; lines: +14 -19
add edif netlist generation
-----
revision 3.9
date: 1995/03/30 04:48:05; author: tom; state: Exp; lines: +37 -29
improve dependencies; build netlist for one-lobe xs cells
-----
revision 3.8
date: 1995/03/29 18:33:20; author: tom; state: Exp; lines: +71 -20
first shot at building xs cells -- only works for hierarchical cells, so far
=====

RCS file: /p/cvsroot/atlas2/BOM,v
working file: atlas2/BOM
head: 201.2755
branch:
locks: strict
access list:
symbolic names:
    b4_rich: 201.2700
keyword substitution: kv
total revisions: 4418;    selected revisions: 15

```

cf Mar 28-April 3 1995.log

description:

revision 2.115

date: 1995/03/31 22:40:27; author: tom; state: Exp; lines: +2 -2

Release Target: atlas
Makefile.defs

export CHIPROOT

revision 2.114

date: 1995/03/31 22:07:19; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/compass/layouts

x112dandn20s.ly
x112dorn20s.ly
x117dandn20s.ly
x117dorn20s.ly
x12andn10s.ly
x12andn160s.ly
x12andn20s.ly
x12andn40s.ly
x12andn80s.ly
x12dandn10s.ly
x12dorn10s.ly
x12muxn10s.ly
x12muxn160s.ly
x12muxn20s.ly
x12muxn40s.ly
x12muxn80s.ly
x12orn10s.ly
x12orn160s.ly
x12orn20s.ly
x12orn40s.ly
x12orn80s.ly
x13andn10s.ly
x13andn160s.ly
x13andn20s.ly
x13andn40s.ly
x13andn80s.ly
x13dandn10s.ly
x13dorn10s.ly
x13muxn10s.ly
x13muxn160s.ly
x13muxn20s.ly
x13muxn40s.ly
x13muxn80s.ly
x13orn10s.ly
x13orn160s.ly
x13orn20s.ly
x13orn40s.ly
x13orn80s.ly
x14andn10s.ly
x14andn160s.ly
x14andn20s.ly
x14andn40s.ly
x14andn80s.ly
x14dandn10s.ly
x14dorn10s.ly
x14muxn10s.ly
x14muxn160s.ly
x14muxn20s.ly
x14muxn40s.ly
x14muxn80s.ly
x14orn10s.ly

cf Mar 28-April 3 1995.log

x14orn160s.ly
x14orn20s.ly
x14orn40s.ly
x14orn80s.ly
x15muxn10s.ly
x15muxn160s.ly
x15muxn20s.ly
x15muxn40s.ly
x15muxn80s.ly
x16dandn10s.ly
x16dorn10s.ly
x16muxn10s.ly
x16muxn160s.ly
x16muxn20s.ly
x16muxn40s.ly
x16muxn80s.ly
x17muxn10s.ly
x17muxn160s.ly
x17muxn20s.ly
x17muxn40s.ly
x17muxn80s.ly
x18dandn10s.ly
x18dorn10s.ly
x18muxn10s.ly
x18muxn160s.ly
x18muxn20s.ly
x18muxn40s.ly
x18muxn80s.ly
x1bufn10s.ly
x1bufn160s.ly
x1bufn20s.ly
x1bufn40s.ly
x1bufn80s.ly
x1d1aq10s.ly
x1d1aq160s.ly
x1d1aq20s.ly
x1d1aq40s.ly
x1d1aq80s.ly
x1d1bq10s.ly
x1d1bq160s.ly
x1d1bq20s.ly
x1d1bq40s.ly
x1d1bq80s.ly
x11an10s.ly
x11an160s.ly
x11an20s.ly
x11an40s.ly
x11an80s.ly
x11bn10s.ly
x11bn160s.ly
x11bn20s.ly
x11bn40s.ly
x11bn80s.ly

Added uh_ cells to half of these cells.

revision 2.113

date: 1995/03/31 19:17:13; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.112

cf Mar 28-April 3 1995.log
date: 1995/03/31 19:15:33; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

add edif netlist generation

revision 2.111
date: 1995/03/31 03:05:51; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 2.110
date: 1995/03/31 01:05:24; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 2.109
date: 1995/03/30 20:05:50; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d_am)

revision 2.108
date: 1995/03/30 20:00:49; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 2.107
date: 1995/03/30 19:34:25; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 2.106
date: 1995/03/30 19:14:51; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status

revision 2.105
date: 1995/03/30 19:08:51; author: tom; state: Exp; lines: +2 -2
Release Target: atlas
Makefile.defs

fault the ged stuff back in -- it's clearly all needed

revision 2.104
date: 1995/03/30 04:49:18; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/leafgen

improve dependencies; build netlist for one-lobe xs cells

revision 2.103
date: 1995/03/29 22:17:59; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

revision 2.102
date: 1995/03/29 18:34:17; author: tom; state: Exp; lines: +2 -2

cf Mar 28-April 3 1995.log

Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far

revision 2.101

date: 1995/03/29 18:32:55; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/Makefile.defs,v

working file: atlas2/Makefile.defs

head: 200.39

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.39

keyword substitution: kv

total revisions: 99; selected revisions: 2

description:

revision 1.12

date: 1995/03/31 22:40:11; author: tom; state: Exp; lines: +3 -1

export CHIPROOT

revision 1.11

date: 1995/03/30 19:08:33; author: tom; state: Exp; lines: +32 -1

fault the ged stuff back in -- it's clearly all needed

=====

RCS file: /p/cvsroot/atlas2/baseplate/chipparms.m4,v

working file: atlas2/baseplate/chipparms.m4

head: 200.13

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.13

keyword substitution: kv

total revisions: 35; selected revisions: 1

description:

revision 1.14

date: 1995/03/29 22:14:02; author: ong; state: Exp; lines: +3 -3

Changed clock spar power pillar generation methodology

=====

RCS file: /p/cvsroot/atlas2/baseplate/Attic/sharedbaseplate.sgen.m4,v

working file: atlas2/baseplate/sharedbaseplate.sgen.m4

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 42; selected revisions: 2

description:

revision 1.16

date: 1995/03/29 22:42:51; author: ong; state: Exp; lines: +15 -2

cf Mar 28-April 3 1995.log
Added instantiations of "clkdrv" to clock spars

revision 1.15
date: 1995/03/29 22:14:04; author: ong; state: Exp; lines: +43 -32
Changed clock spar power pillar generation methodology
=====

RCS file: /p/cvsroot/atlas2/compass/BOM,v
working file: atlas2/compass/BOM
head: 203.329
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 203.329
keyword substitution: kv
total revisions: 532; selected revisions: 2
description:
releasebom adding BOM

revision 2.7
date: 1995/03/31 22:07:06; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts

x112dandn20s.ly
x112dorn20s.ly
x117dandn20s.ly
x117dorn20s.ly
x12andn10s.ly
x12andn160s.ly
x12andn20s.ly
x12andn40s.ly
x12andn80s.ly
x12dandn10s.ly
x12dorn10s.ly
x12muxn10s.ly
x12muxn160s.ly
x12muxn20s.ly
x12muxn40s.ly
x12muxn80s.ly
x12orn10s.ly
x12orn160s.ly
x12orn20s.ly
x12orn40s.ly
x12orn80s.ly
x13andn10s.ly
x13andn160s.ly
x13andn20s.ly
x13andn40s.ly
x13andn80s.ly
x13dandn10s.ly
x13dorn10s.ly
x13muxn10s.ly
x13muxn160s.ly
x13muxn20s.ly
x13muxn40s.ly
x13muxn80s.ly
x13orn10s.ly
x13orn160s.ly
x13orn20s.ly
x13orn40s.ly
x13orn80s.ly
x14andn10s.ly
x14andn160s.ly

cf Mar 28-April 3 1995.log

x14andn20s.ly
x14andn40s.ly
x14andn80s.ly
x14dandn10s.ly
x14dorn10s.ly
x14muxn10s.ly
x14muxn160s.ly
x14muxn20s.ly
x14muxn40s.ly
x14muxn80s.ly
x14orn10s.ly
x14orn160s.ly
x14orn20s.ly
x14orn40s.ly
x14orn80s.ly
x15muxn10s.ly
x15muxn160s.ly
x15muxn20s.ly
x15muxn40s.ly
x15muxn80s.ly
x16dandn10s.ly
x16dorn10s.ly
x16muxn10s.ly
x16muxn160s.ly
x16muxn20s.ly
x16muxn40s.ly
x16muxn80s.ly
x17muxn10s.ly
x17muxn160s.ly
x17muxn20s.ly
x17muxn40s.ly
x17muxn80s.ly
x18dandn10s.ly
x18dorn10s.ly
x18muxn10s.ly
x18muxn160s.ly
x18muxn20s.ly
x18muxn40s.ly
x18muxn80s.ly
x1bufn10s.ly
x1bufn160s.ly
x1bufn20s.ly
x1bufn40s.ly
x1bufn80s.ly
x1d1aq10s.ly
x1d1aq160s.ly
x1d1aq20s.ly
x1d1aq40s.ly
x1d1aq80s.ly
x1d1bq10s.ly
x1d1bq160s.ly
x1d1bq20s.ly
x1d1bq40s.ly
x1d1bq80s.ly
x1lan10s.ly
x1lan160s.ly
x1lan20s.ly
x1lan40s.ly
x1lan80s.ly
x1lbn10s.ly
x1lbn160s.ly
x1lbn20s.ly
x1lbn40s.ly

cf Mar 28-April 3 1995.log

x11bn80s.ly

Added uh_ cells to half of these cells.

revision 2.6
date: 1995/03/29 22:17:50; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/compass/layouts
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/BOM,v
working file: atlas2/compass/layouts/BOM
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 248; selected revisions: 2
description:
releasebom adding BOM

revision 4.4
date: 1995/03/31 22:06:52; author: ong; state: Exp; lines: +402 -6
Release Target: atlas/compass/layouts

x112dandn20s.ly
x112dorn20s.ly
x117dandn20s.ly
x117dorn20s.ly
x12andn10s.ly
x12andn160s.ly
x12andn20s.ly
x12andn40s.ly
x12andn80s.ly
x12dandn10s.ly
x12dorn10s.ly
x12muxn10s.ly
x12muxn160s.ly
x12muxn20s.ly
x12muxn40s.ly
x12muxn80s.ly
x12orn10s.ly
x12orn160s.ly
x12orn20s.ly
x12orn40s.ly
x12orn80s.ly
x13andn10s.ly
x13andn160s.ly
x13andn20s.ly
x13andn40s.ly
x13andn80s.ly
x13dandn10s.ly
x13dorn10s.ly
x13muxn10s.ly
x13muxn160s.ly
x13muxn20s.ly
x13muxn40s.ly
x13muxn80s.ly
x13orn10s.ly
x13orn160s.ly
x13orn20s.ly

cf Mar 28-April 3 1995.log

x13orn40s.ly
x13orn80s.ly
x14andn10s.ly
x14andn160s.ly
x14andn20s.ly
x14andn40s.ly
x14andn80s.ly
x14dandn10s.ly
x14dorn10s.ly
x14muxn10s.ly
x14muxn160s.ly
x14muxn20s.ly
x14muxn40s.ly
x14muxn80s.ly
x14orn10s.ly
x14orn160s.ly
x14orn20s.ly
x14orn40s.ly
x14orn80s.ly
x15muxn10s.ly
x15muxn160s.ly
x15muxn20s.ly
x15muxn40s.ly
x15muxn80s.ly
x16dandn10s.ly
x16dorn10s.ly
x16muxn10s.ly
x16muxn160s.ly
x16muxn20s.ly
x16muxn40s.ly
x16muxn80s.ly
x17muxn10s.ly
x17muxn160s.ly
x17muxn20s.ly
x17muxn40s.ly
x17muxn80s.ly
x18dandn10s.ly
x18dorn10s.ly
x18muxn10s.ly
x18muxn160s.ly
x18muxn20s.ly
x18muxn40s.ly
x18muxn80s.ly
x1bufn10s.ly
x1bufn160s.ly
x1bufn20s.ly
x1bufn40s.ly
x1bufn80s.ly
x1d1aq10s.ly
x1d1aq160s.ly
x1d1aq20s.ly
x1d1aq40s.ly
x1d1aq80s.ly
x1d1bq10s.ly
x1d1bq160s.ly
x1d1bq20s.ly
x1d1bq40s.ly
x1d1bq80s.ly
x11an10s.ly
x11an160s.ly
x11an20s.ly
x11an40s.ly
x11an80s.ly

cf Mar 28-April 3 1995.log

x11bn10s.ly
x11bn160s.ly
x11bn20s.ly
x11bn40s.ly
x11bn80s.ly

Added uh_ cells to half of these cells.

revision 4.3
date: 1995/03/29 22:17:40; author: ong; state: Exp; lines: +5 -1
Release Target: atlas/compass/layouts
padvddio.ly

New Atlas pad for vdd of io circuits. The target for this supply is on M3

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/atlas.db,v
working file: atlas2/compass/layouts/atlas.db
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 133; selected revisions: 4
description:

revision 1.37
date: 1995/03/31 22:40:01; author: chip; state: Exp; lines: +68 -66
periodic checkin of Fri Mar 31 14:39:58 PST 1995

revision 1.36
date: 1995/03/30 00:38:02; author: chip; state: Exp; lines: +30 -28
periodic checkin of Wed Mar 29 16:37:58 PST 1995

revision 1.35
date: 1995/03/28 19:04:32; author: chip; state: Exp; lines: +4 -4
periodic checkin of Tue Mar 28 11:04:28 PST 1995

revision 1.34
date: 1995/03/28 17:45:00; author: chip; state: Exp; lines: +26 -26
periodic checkin of Tue Mar 28 09:44:55 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt12to64.ly,v
working file: atlas2/compass/layouts/cgt12to64.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 18:50:12; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt13nms.ly,v
working file: atlas2/compass/layouts/cgt13nms.ly
head: 200.0

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/03/28 17:18:24; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:18:20 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt15nms.ly,v
working file: atlas2/compass/layouts/cgt15nms.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/28 17:18:26; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:18:20 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt16nms.ly,v
working file: atlas2/compass/layouts/cgt16nms.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.1
date: 1995/04/01 00:02:36; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgt7to16.ly,v
working file: atlas2/compass/layouts/cgt7to16.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 18:50:14; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtddrv.ly,v
working file: atlas2/compass/layouts/cgtddrv.ly

cf Mar 28-April 3 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 4.3

date: 1995/03/29 01:34:47; author: chip; state: Exp; lines: +22 -21
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtfdec.ly,v
working file: atlas2/compass/layouts/cgtfdec.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.1

date: 1995/03/30 18:50:16; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:50:09 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtlb.ly,v
working file: atlas2/compass/layouts/cgtlb.ly
head: 4.10
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.1

date: 1995/04/01 00:02:38; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm1col.ly,v
working file: atlas2/compass/layouts/cgtm1col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:

revision 4.6

date: 1995/03/31 00:47:37; author: chip; state: Exp; lines: +266 -266
periodic checkin of Thu Mar 30 16:47:33 PST 1995

revision 4.5

date: 1995/03/29 01:34:50; author: chip; state: Exp; lines: +276 -9

cf Mar 28-April 3 1995.log
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm1col_2x.ly,v
working file: atlas2/compass/layouts/cgtm1col_2x.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 00:47:39; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 30 16:47:33 PST 1995

revision 4.1
date: 1995/03/29 01:34:51; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm2col.ly,v
working file: atlas2/compass/layouts/cgtm2col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 01:07:04; author: chip; state: Exp; lines: +392 -392
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.1
date: 1995/03/29 01:34:54; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm64x58.ly,v
working file: atlas2/compass/layouts/cgtm64x58.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19; selected revisions: 3
description:

revision 4.3
date: 1995/04/01 00:05:52; author: chip; state: Exp; lines: +2 -2
periodic checkin of Fri Mar 31 16:05:46 PST 1995

revision 4.2
date: 1995/03/31 22:04:33; author: chip; state: Exp; lines: +4266 -70
periodic checkin of Fri Mar 31 14:04:28 PST 1995

revision 4.1

cf Mar 28-April 3 1995.log
date: 1995/03/29 01:34:56; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtm8col.ly,v
working file: atlas2/compass/layouts/cgtm8col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 3
description:

revision 4.3
date: 1995/03/31 22:04:38; author: chip; state: Exp; lines: +2 -130
periodic checkin of Fri Mar 31 14:04:28 PST 1995

revision 4.2
date: 1995/03/31 01:07:07; author: chip; state: Exp; lines: +782 -782
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.1
date: 1995/03/29 01:34:59; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatch.ly,v
working file: atlas2/compass/layouts/cgtmatch.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 5
description:

revision 4.11
date: 1995/03/31 22:07:51; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 31 14:07:48 PST 1995

revision 4.10
date: 1995/03/31 02:51:44; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 4.9
date: 1995/03/31 02:48:27; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:48:22 PST 1995

revision 4.8
date: 1995/03/31 01:07:09; author: chip; state: Exp; lines: +7 -7
periodic checkin of Thu Mar 30 17:06:57 PST 1995

revision 4.7
date: 1995/03/29 01:35:02; author: chip; state: Exp; lines: +43 -64
periodic checkin of Tue Mar 28 17:34:41 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmatn1.ly,v
working file: atlas2/compass/layouts/cgtmatn1.ly
head: 200.0

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.1
date: 1995/03/31 01:03:28; author: chip; state: Exp;
periodic checkin of Thu Mar 30 17:03:23 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmiss.ly,v
working file: atlas2/compass/layouts/cgtmiss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.1
date: 1995/04/01 00:02:41; author: chip; state: Exp;
periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmnor.ly,v
working file: atlas2/compass/layouts/cgtmnor.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18; selected revisions: 4
description:

revision 4.5
date: 1995/03/31 01:07:11; author: chip; state: Exp; lines: +7 -6
periodic checkin of Thu Mar 30 17:06:57 PST 1995
=====

revision 4.4
date: 1995/03/29 13:54:28; author: chip; state: Exp; lines: +4 -5
periodic checkin of Wed Mar 29 05:54:24 PST 1995
=====

revision 4.3
date: 1995/03/29 02:13:30; author: chip; state: Exp; lines: +6 -6
periodic checkin of Tue Mar 28 18:13:26 PST 1995
=====

revision 4.2
date: 1995/03/29 01:35:04; author: chip; state: Exp; lines: +6 -40
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmpu.ly,v
working file: atlas2/compass/layouts/cgtmpu.ly
head: 200.0
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:

keyword substitution: kv

total revisions: 20; selected revisions: 3

description:

revision 4.4

date: 1995/03/31 23:54:03; author: chip; state: Exp; lines: +2 -3

periodic checkin of Fri Mar 31 15:54:00 PST 1995

revision 4.3

date: 1995/03/29 02:13:32; author: chip; state: Exp; lines: +87 -41

periodic checkin of Tue Mar 28 18:13:26 PST 1995

revision 4.2

date: 1995/03/29 01:35:06; author: chip; state: Exp; lines: +178 -142

periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtmsa.ly,v

working file: atlas2/compass/layouts/cgtmsa.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 21; selected revisions: 3

description:

revision 4.4

date: 1995/03/31 02:48:30; author: chip; state: Exp; lines: +4 -6

periodic checkin of Thu Mar 30 18:48:22 PST 1995

revision 4.3

date: 1995/03/31 02:04:30; author: chip; state: Exp; lines: +16 -13

periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 4.2

date: 1995/03/29 01:35:09; author: chip; state: Exp; lines: +330 -252

periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtnm.ly,v

working file: atlas2/compass/layouts/cgtnm.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 4.1

date: 1995/04/01 00:02:43; author: chip; state: Exp;

periodic checkin of Fri Mar 31 16:02:29 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtnms_8u.ly,v

working file: atlas2/compass/layouts/cgtnms_8u.ly

head: 200.0

branch:

locks: strict

cf Mar 28-April 3 1995.log

access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.1
date: 1995/03/29 01:35:12; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtpred.ly,v
working file: atlas2/compass/layouts/cgtpred.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 3
description:

revision 4.3
date: 1995/03/31 01:58:29; author: chip; state: Exp; lines: +6 -6
periodic checkin of Thu Mar 30 17:58:25 PST 1995

revision 4.2
date: 1995/03/31 01:47:16; author: chip; state: Exp; lines: +8 -6
periodic checkin of Thu Mar 30 17:47:12 PST 1995

revision 4.1
date: 1995/03/30 18:52:19; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:52:15 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtrdec.ly,v
working file: atlas2/compass/layouts/cgtrdec.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:

revision 4.2
date: 1995/03/30 23:51:37; author: chip; state: Exp; lines: +106 -106
periodic checkin of Thu Mar 30 15:51:33 PST 1995

revision 4.1
date: 1995/03/30 18:54:26; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtrdn1.ly,v
working file: atlas2/compass/layouts/cgtrdn1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 11; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 01:15:50; author: chip; state: Exp; lines: +235 -237
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.1
date: 1995/03/29 01:35:14; author: chip; state: Exp;
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtsa.ly,v
working file: atlas2/compass/layouts/cgtsa.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 5
description:

revision 4.6
date: 1995/03/31 17:36:38; author: chip; state: Exp; lines: +3 -4
periodic checkin of Fri Mar 31 09:36:32 PST 1995

revision 4.5
date: 1995/03/31 02:51:46; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 4.4
date: 1995/03/31 02:48:32; author: chip; state: Exp; lines: +7 -7
periodic checkin of Thu Mar 30 18:48:22 PST 1995

revision 4.3
date: 1995/03/31 01:15:52; author: chip; state: Exp; lines: +27 -25
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.2
date: 1995/03/29 01:35:17; author: chip; state: Exp; lines: +29 -26
periodic checkin of Tue Mar 28 17:34:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtvapnff.ly,v
working file: atlas2/compass/layouts/cgtvapnff.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 7
description:

revision 4.8
date: 1995/03/31 17:36:41; author: chip; state: Exp; lines: +10 -10
periodic checkin of Fri Mar 31 09:36:32 PST 1995

revision 4.7
date: 1995/03/31 02:51:49; author: chip; state: Exp; lines: +10 -10
periodic checkin of Thu Mar 30 18:51:40 PST 1995

cf Mar 28-April 3 1995.log

revision 4.6
date: 1995/03/31 02:32:15; author: chip; state: Exp; lines: +20 -2
periodic checkin of Thu Mar 30 18:32:08 PST 1995

revision 4.5
date: 1995/03/31 02:11:18; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 18:11:12 PST 1995

revision 4.4
date: 1995/03/31 02:04:33; author: chip; state: Exp; lines: +9 -10
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 4.3
date: 1995/03/31 01:15:55; author: chip; state: Exp; lines: +402 -405
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 4.2
date: 1995/03/29 01:38:08; author: chip; state: Exp; lines: +18 -18
periodic checkin of Tue Mar 28 17:38:03 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxddrv.ly,v
Working file: atlas2/compass/layouts/cgtxddrv.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 4
description:

revision 4.5
date: 1995/04/01 00:02:45; author: chip; state: Exp; lines: +23 -10
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.4
date: 1995/03/31 03:40:52; author: chip; state: Exp; lines: +7 -7
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.3
date: 1995/03/30 23:39:48; author: chip; state: Exp; lines: +7 -9
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 4.2
date: 1995/03/30 18:54:28; author: chip; state: Exp; lines: +14 -17
periodic checkin of Thu Mar 30 10:54:22 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxor.ly,v
Working file: atlas2/compass/layouts/cgtxor.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 3
description:

revision 4.4
date: 1995/03/31 03:40:54; author: chip; state: Exp; lines: +4 -4
periodic checkin of Thu Mar 30 19:40:47 PST 1995

cf Mar 28-April 3 1995.log

revision 4.3
date: 1995/03/31 02:54:59; author: chip; state: Exp; lines: +41 -41
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 4.2
date: 1995/03/30 18:54:29; author: chip; state: Exp; lines: +2 -3
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr1col.ly,v
working file: atlas2/compass/layouts/cgtxr1col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 5
description:

revision 4.6
date: 1995/04/01 00:02:48; author: chip; state: Exp; lines: +7 -7
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.5
date: 1995/03/31 02:55:01; author: chip; state: Exp; lines: +228 -142
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 4.4
date: 1995/03/31 00:14:06; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 16:14:02 PST 1995

revision 4.3
date: 1995/03/30 23:39:50; author: chip; state: Exp; lines: +59 -59
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 4.2
date: 1995/03/30 18:54:31; author: chip; state: Exp; lines: +222 -335
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr2col.ly,v
working file: atlas2/compass/layouts/cgtxr2col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 3
description:

revision 4.4
date: 1995/04/01 00:02:50; author: chip; state: Exp; lines: +16 -13
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.3
date: 1995/03/31 03:40:55; author: chip; state: Exp; lines: +313 -201
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.2
date: 1995/03/30 18:54:32; author: chip; state: Exp; lines: +221 -7

cf Mar 28-April 3 1995.log
periodic checkin of Thu Mar 30 10:54:22 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr74col.ly,v
working file: atlas2/compass/layouts/cgtxr74col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/04/01 00:02:52; author: chip; state: Exp; lines: +1144 -7
periodic checkin of Fri Mar 31 16:02:29 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxr8col.ly,v
working file: atlas2/compass/layouts/cgtxr8col.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 2
description:

revision 4.3
date: 1995/04/01 00:02:54; author: chip; state: Exp; lines: +388 -329
periodic checkin of Fri Mar 31 16:02:29 PST 1995

revision 4.2
date: 1995/03/30 18:56:31; author: chip; state: Exp; lines: +357 -7
periodic checkin of Thu Mar 30 10:56:28 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxrdn1.ly,v
working file: atlas2/compass/layouts/cgtxrdn1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 2
description:

revision 4.2
date: 1995/03/31 03:40:57; author: chip; state: Exp; lines: +6 -6
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 4.1
date: 1995/03/30 18:54:34; author: chip; state: Exp;
periodic checkin of Thu Mar 30 10:54:22 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/cgtxsa.ly,v
working file: atlas2/compass/layouts/cgtxsa.ly
head: 200.0
branch:

cf Mar 28-April 3 1995.log

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 3
description:
-----
revision 4.4
date: 1995/04/01 00:02:57; author: chip; state: Exp; lines: +8 -3
periodic checkin of Fri Mar 31 16:02:29 PST 1995
-----
revision 4.3
date: 1995/03/31 03:40:58; author: chip; state: Exp; lines: +9 -9
periodic checkin of Thu Mar 30 19:40:47 PST 1995
-----
revision 4.2
date: 1995/03/30 18:54:35; author: chip; state: Exp; lines: +8 -15
periodic checkin of Thu Mar 30 10:54:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_base.ly,v
working file: atlas2/compass/layouts/pad_base.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 16;    selected revisions: 4
description:
-----
```

```
revision 4.4
date: 1995/03/30 00:35:23; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 16:35:18 PST 1995
-----
revision 4.3
date: 1995/03/29 21:46:12; author: chip; state: Exp; lines: +16 -13
periodic checkin of Wed Mar 29 13:46:10 PST 1995
-----
revision 4.2
date: 1995/03/28 19:04:34; author: chip; state: Exp; lines: +2 -2
periodic checkin of Tue Mar 28 11:04:28 PST 1995
-----
revision 4.1
date: 1995/03/28 17:45:02; author: chip; state: Exp;
periodic checkin of Tue Mar 28 09:44:55 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_hem.ly,v
working file: atlas2/compass/layouts/pad_hem.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18;    selected revisions: 3
description:
-----
```

```
revision 4.7
date: 1995/03/30 00:58:04; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 16:58:00 PST 1995
-----
```

cf Mar 28-April 3 1995.log

revision 4.6
date: 1995/03/30 00:35:24; author: chip; state: Exp; lines: +5 -5
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 4.5
date: 1995/03/29 21:46:13; author: chip; state: Exp; lines: +79 -4
periodic checkin of Wed Mar 29 13:46:10 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_n_static.ly,v
working file: atlas2/compass/layouts/pad_n_static.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 16; selected revisions: 1
description:

revision 4.6
date: 1995/03/30 18:08:29; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 30 10:08:24 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_vcell.ly,v
working file: atlas2/compass/layouts/pad_vcell.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.1
date: 1995/03/29 21:44:16; author: chip; state: Exp;
periodic checkin of Wed Mar 29 13:44:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_vcell2.ly,v
working file: atlas2/compass/layouts/pad_vcell2.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 4.1
date: 1995/03/29 21:44:18; author: chip; state: Exp;
periodic checkin of Wed Mar 29 13:44:12 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_vcell3.ly,v
working file: atlas2/compass/layouts/pad_vcell3.ly
head: 200.0
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 4.1
date: 1995/03/29 21:49:44; author: chip; state: Exp;
periodic checkin of Wed Mar 29 13:49:41 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pad_vcell4.ly,v
working file: atlas2/compass/layouts/pad_vcell4.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 4.1
date: 1995/03/30 00:35:26; author: chip; state: Exp;
periodic checkin of Wed Mar 29 16:35:18 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padhib.ly,v
working file: atlas2/compass/layouts/padhib.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 35; selected revisions: 3
description:

revision 4.16
date: 1995/03/30 18:04:17; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 4.15
date: 1995/03/30 00:35:28; author: chip; state: Exp; lines: +13 -32
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 4.14
date: 1995/03/28 17:42:54; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvdd.ly,v
working file: atlas2/compass/layouts/padintvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 1
description:

revision 4.7
date: 1995/03/31 22:50:21; author: chip; state: Exp; lines: +4 -4

cf Mar 28-April 3 1995.log
periodic checkin of Fri Mar 31 14:50:16 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padintvss.ly,v
Working file: atlas2/compass/layouts/padintvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 18; selected revisions: 1
description:

revision 4.7
date: 1995/03/31 22:50:25; author: chip; state: Exp; lines: +4 -4
periodic checkin of Fri Mar 31 14:50:16 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padt1.ly,v
Working file: atlas2/compass/layouts/padt1.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 24; selected revisions: 3
description:

revision 4.15
date: 1995/03/30 18:04:19; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 4.14
date: 1995/03/30 00:35:30; author: chip; state: Exp; lines: +13 -32
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 4.13
date: 1995/03/28 17:42:56; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvdd.ly,v
Working file: atlas2/compass/layouts/padvdd.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 39; selected revisions: 6
description:

revision 2.27
date: 1995/03/30 18:04:21; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 2.26
date: 1995/03/30 01:09:30; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 17:09:26 PST 1995

revision 2.25

```

                                cf Mar 28-April 3 1995.log
date: 1995/03/30 00:35:32; author: chip; state: Exp; lines: +2 -2
periodic checkin of Wed Mar 29 16:35:18 PST 1995
-----
revision 2.24
date: 1995/03/29 21:42:20; author: chip; state: Exp; lines: +9 -5
periodic checkin of Wed Mar 29 13:42:17 PST 1995
-----
revision 2.23
date: 1995/03/29 19:09:52; author: chip; state: Exp; lines: +11 -29
periodic checkin of Wed Mar 29 11:09:48 PST 1995
-----
revision 2.22
date: 1995/03/28 17:42:57; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvddio.ly,v
working file: atlas2/compass/layouts/padvddio.ly
head: 4.8
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;      selected revisions: 6
description:
-----

```

```

revision 4.6
date: 1995/03/30 18:27:39; author: chip; state: Exp; lines: +3 -2
periodic checkin of Thu Mar 30 10:27:35 PST 1995
-----

```

```

revision 4.5
date: 1995/03/30 00:58:06; author: chip; state: Exp; lines: +3 -3
periodic checkin of Wed Mar 29 16:58:00 PST 1995
-----

```

```

revision 4.4
date: 1995/03/29 21:49:46; author: chip; state: Exp; lines: +12 -11
periodic checkin of Wed Mar 29 13:49:41 PST 1995
-----

```

```

revision 4.3
date: 1995/03/28 19:31:52; author: chip; state: Exp; lines: +6 -13
periodic checkin of Tue Mar 28 11:31:47 PST 1995
-----

```

```

revision 4.2
date: 1995/03/28 19:10:24; author: chip; state: Exp; lines: +2 -3
periodic checkin of Tue Mar 28 11:10:18 PST 1995
-----

```

```

revision 4.1
date: 1995/03/28 19:01:56; author: chip; state: Exp;
periodic checkin of Tue Mar 28 11:01:54 PST 1995
=====

```

```

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/padvss.ly,v
working file: atlas2/compass/layouts/padvss.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 32;      selected revisions: 4
description:
-----

```


cf Mar 28-April 3 1995.log

revision 4.16

date: 1995/03/31 00:23:16; author: chip; state: Exp; lines: +6 -4
periodic checkin of Thu Mar 30 16:23:12 PST 1995

revision 4.15

date: 1995/03/30 18:04:23; author: chip; state: Exp; lines: +9 -8
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 4.14

date: 1995/03/29 21:44:19; author: chip; state: Exp; lines: +17 -31
periodic checkin of Wed Mar 29 13:44:12 PST 1995

revision 4.13

date: 1995/03/28 17:42:59; author: chip; state: Exp; lines: +3 -3
periodic checkin of Tue Mar 28 09:42:49 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/paguardring.ly,v

working file: atlas2/compass/layouts/paguardring.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 1

description:

revision 4.3

date: 1995/03/30 18:04:25; author: chip; state: Exp; lines: +3 -3
periodic checkin of Thu Mar 30 10:04:12 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/pascribeseal_crn.ly,v

working file: atlas2/compass/layouts/pascribeseal_crn.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 18; selected revisions: 1

description:

revision 4.5

date: 1995/03/30 18:04:26; author: chip; state: Exp; lines: +5 -5
periodic checkin of Thu Mar 30 10:04:12 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_48x1.ly,v

working file: atlas2/compass/layouts/uh_48x1.ly

head: 4.1

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 1; selected revisions: 1

description:

revision 4.1

date: 1995/03/31 21:42:30; author: chip; state: Exp;
periodic checkin of Fri Mar 31 13:42:22 PST 1995

cf Mar 28-April 3 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/uh_53x1.ly,v
working file: atlas2/compass/layouts/uh_53x1.ly
head: 4.1
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 1;    selected revisions: 1
description:
-----
```

```
revision 4.1
date: 1995/03/31 21:42:32; author: chip; state: Exp;
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/vlsi.log,v
working file: atlas2/compass/layouts/vlsi.log
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3575; selected revisions: 114
description:
-----
```

```
revision 1.680
date: 1995/04/03 04:57:51; author: chip; state: Exp; lines: +1 -0
periodic checkin of Sun Apr 2 21:57:44 PDT 1995
-----
```

```
revision 1.679
date: 1995/04/01 00:06:03; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 16:05:46 PST 1995
-----
```

```
revision 1.678
date: 1995/04/01 00:03:02; author: chip; state: Exp; lines: +20 -0
periodic checkin of Fri Mar 31 16:02:29 PST 1995
-----
```

```
revision 1.677
date: 1995/03/31 23:51:10; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 15:51:04 PST 1995
-----
```

```
revision 1.676
date: 1995/03/31 22:50:32; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 14:50:16 PST 1995
-----
```

```
revision 1.675
date: 1995/03/31 22:47:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 14:47:20 PST 1995
-----
```

```
revision 1.674
date: 1995/03/31 22:37:20; author: chip; state: Exp; lines: +7 -0
periodic checkin of Fri Mar 31 14:37:13 PST 1995
-----
```

```
revision 1.673
date: 1995/03/31 22:34:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 14:34:14 PST 1995
-----
```

```
revision 1.672
date: 1995/03/31 22:04:45; author: chip; state: Exp; lines: +7 -0
```

cf Mar 28-April 3 1995.log
periodic checkin of Fri Mar 31 14:04:28 PST 1995

revision 1.671
date: 1995/03/31 21:50:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 13:50:14 PST 1995

revision 1.670
date: 1995/03/31 21:46:09; author: chip; state: Exp; lines: +66 -0
periodic checkin of Fri Mar 31 13:45:54 PST 1995

revision 1.669
date: 1995/03/31 21:42:37; author: chip; state: Exp; lines: +37 -0
periodic checkin of Fri Mar 31 13:42:22 PST 1995

revision 1.668
date: 1995/03/31 21:39:09; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 13:39:01 PST 1995

revision 1.667
date: 1995/03/31 21:36:02; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:35:56 PST 1995

revision 1.666
date: 1995/03/31 21:33:00; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:32:53 PST 1995

revision 1.665
date: 1995/03/31 21:30:19; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:30:13 PST 1995

revision 1.664
date: 1995/03/31 21:27:39; author: chip; state: Exp; lines: +5 -0
periodic checkin of Fri Mar 31 13:27:32 PST 1995

revision 1.663
date: 1995/03/31 21:25:02; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 13:24:56 PST 1995

revision 1.662
date: 1995/03/31 21:22:22; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 13:22:15 PST 1995

revision 1.661
date: 1995/03/31 21:19:46; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 31 13:19:40 PST 1995

revision 1.660
date: 1995/03/31 21:17:02; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 13:16:55 PST 1995

revision 1.659
date: 1995/03/31 21:14:28; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 13:14:21 PST 1995

revision 1.658
date: 1995/03/31 21:11:48; author: chip; state: Exp; lines: +4 -0
periodic checkin of Fri Mar 31 13:11:42 PST 1995

revision 1.657
date: 1995/03/31 21:09:05; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 13:08:52 PST 1995

revision 1.656

cf Mar 28-April 3 1995.log
date: 1995/03/31 19:38:18; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 11:38:07 PST 1995

revision 1.655
date: 1995/03/31 19:35:14; author: chip; state: Exp; lines: +3 -0
periodic checkin of Fri Mar 31 11:35:07 PST 1995

revision 1.654
date: 1995/03/31 19:31:42; author: chip; state: Exp; lines: +2 -0
periodic checkin of Fri Mar 31 11:31:33 PST 1995

revision 1.653
date: 1995/03/31 19:28:06; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 11:27:55 PST 1995

revision 1.652
date: 1995/03/31 19:05:00; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 11:04:52 PST 1995

revision 1.651
date: 1995/03/31 18:59:55; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 10:59:47 PST 1995

revision 1.650
date: 1995/03/31 18:19:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 10:19:04 PST 1995

revision 1.649
date: 1995/03/31 18:03:07; author: chip; state: Exp; lines: +1 -0
periodic checkin of Fri Mar 31 10:03:00 PST 1995

revision 1.648
date: 1995/03/31 17:36:47; author: chip; state: Exp; lines: +8 -0
periodic checkin of Fri Mar 31 09:36:32 PST 1995

revision 1.647
date: 1995/03/31 07:04:22; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 23:04:16 PST 1995

revision 1.646
date: 1995/03/31 03:41:02; author: chip; state: Exp; lines: +10 -0
periodic checkin of Thu Mar 30 19:40:47 PST 1995

revision 1.645
date: 1995/03/31 03:00:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 19:00:02 PST 1995

revision 1.644
date: 1995/03/31 02:57:40; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 30 18:57:35 PST 1995

revision 1.643
date: 1995/03/31 02:55:05; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 30 18:54:56 PST 1995

revision 1.642
date: 1995/03/31 02:51:53; author: chip; state: Exp; lines: +7 -0
periodic checkin of Thu Mar 30 18:51:40 PST 1995

revision 1.641
date: 1995/03/31 02:48:36; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 30 18:48:22 PST 1995

cf Mar 28-April 3 1995.log

revision 1.640
date: 1995/03/31 02:45:10; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 30 18:44:58 PST 1995

revision 1.639
date: 1995/03/31 02:41:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:41:34 PST 1995

revision 1.638
date: 1995/03/31 02:32:21; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 18:32:08 PST 1995

revision 1.637
date: 1995/03/31 02:20:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:20:23 PST 1995

revision 1.636
date: 1995/03/31 02:17:37; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:17:29 PST 1995

revision 1.635
date: 1995/03/31 02:14:32; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:14:25 PST 1995

revision 1.634
date: 1995/03/31 02:11:26; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 18:11:12 PST 1995

revision 1.633
date: 1995/03/31 02:08:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 18:08:01 PST 1995

revision 1.632
date: 1995/03/31 02:04:39; author: chip; state: Exp; lines: +4 -0
periodic checkin of Thu Mar 30 18:04:24 PST 1995

revision 1.631
date: 1995/03/31 01:58:34; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 17:58:25 PST 1995

revision 1.630
date: 1995/03/31 01:55:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 17:55:26 PST 1995

revision 1.629
date: 1995/03/31 01:47:21; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 30 17:47:12 PST 1995

revision 1.628
date: 1995/03/31 01:29:57; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 17:29:51 PST 1995

revision 1.627
date: 1995/03/31 01:19:04; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 17:18:53 PST 1995

revision 1.626
date: 1995/03/31 01:16:00; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 30 17:15:45 PST 1995

revision 1.625
date: 1995/03/31 01:07:17; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 17:06:57 PST 1995

cf Mar 28-April 3 1995.log

revision 1.624
date: 1995/03/31 01:03:37; author: chip; state: Exp; lines: +10 -0
periodic checkin of Thu Mar 30 17:03:23 PST 1995

revision 1.623
date: 1995/03/31 00:47:43; author: chip; state: Exp; lines: +10 -0
periodic checkin of Thu Mar 30 16:47:33 PST 1995

revision 1.622
date: 1995/03/31 00:23:20; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 16:23:12 PST 1995

revision 1.621
date: 1995/03/31 00:21:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 16:21:04 PST 1995

revision 1.620
date: 1995/03/31 00:14:10; author: chip; state: Exp; lines: +3 -0
periodic checkin of Thu Mar 30 16:14:02 PST 1995

revision 1.619
date: 1995/03/31 00:02:49; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 16:02:42 PST 1995

revision 1.618
date: 1995/03/30 23:51:41; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 15:51:33 PST 1995

revision 1.617
date: 1995/03/30 23:48:37; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 15:48:30 PST 1995

revision 1.616
date: 1995/03/30 23:39:56; author: chip; state: Exp; lines: +8 -0
periodic checkin of Thu Mar 30 15:39:44 PST 1995

revision 1.615
date: 1995/03/30 18:56:35; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 10:56:28 PST 1995

revision 1.614
date: 1995/03/30 18:54:39; author: chip; state: Exp; lines: +14 -0
periodic checkin of Thu Mar 30 10:54:22 PST 1995

revision 1.613
date: 1995/03/30 18:52:23; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 10:52:15 PST 1995

revision 1.612
date: 1995/03/30 18:50:20; author: chip; state: Exp; lines: +6 -0
periodic checkin of Thu Mar 30 10:50:09 PST 1995

revision 1.611
date: 1995/03/30 18:27:43; author: chip; state: Exp; lines: +2 -0
periodic checkin of Thu Mar 30 10:27:35 PST 1995

revision 1.610
date: 1995/03/30 18:04:32; author: chip; state: Exp; lines: +12 -0
periodic checkin of Thu Mar 30 10:04:12 PST 1995

revision 1.609
date: 1995/03/30 18:01:42; author: chip; state: Exp; lines: +7 -0

cf Mar 28-April 3 1995.log
periodic checkin of Thu Mar 30 10:01:36 PST 1995

revision 1.608
date: 1995/03/30 17:59:30; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 09:59:24 PST 1995

revision 1.607
date: 1995/03/30 17:57:32; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 09:57:27 PST 1995

revision 1.606
date: 1995/03/30 17:40:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Thu Mar 30 09:40:53 PST 1995

revision 1.605
date: 1995/03/30 01:09:35; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 17:09:26 PST 1995

revision 1.604
date: 1995/03/30 00:58:11; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 16:58:00 PST 1995

revision 1.603
date: 1995/03/30 00:55:26; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 16:55:21 PST 1995

revision 1.602
date: 1995/03/30 00:53:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:52:57 PST 1995

revision 1.601
date: 1995/03/30 00:38:06; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 16:37:58 PST 1995

revision 1.600
date: 1995/03/30 00:35:36; author: chip; state: Exp; lines: +14 -0
periodic checkin of Wed Mar 29 16:35:18 PST 1995

revision 1.599
date: 1995/03/29 00:32:43; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:32:37 PST 1995

revision 1.598
date: 1995/03/30 00:23:34; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:23:28 PST 1995

revision 1.597
date: 1995/03/30 00:01:59; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 16:01:53 PST 1995

revision 1.596
date: 1995/03/29 21:49:49; author: chip; state: Exp; lines: +7 -0
periodic checkin of Wed Mar 29 13:49:41 PST 1995

revision 1.595
date: 1995/03/29 21:44:22; author: chip; state: Exp; lines: +10 -0
periodic checkin of Wed Mar 29 13:44:12 PST 1995

revision 1.594
date: 1995/03/29 21:42:24; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 13:42:17 PST 1995

revision 1.593

cf Mar 28-April 3 1995.log
date: 1995/03/29 19:20:56; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 11:20:50 PST 1995

revision 1.592
date: 1995/03/29 19:09:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Wed Mar 29 11:09:48 PST 1995

revision 1.591
date: 1995/03/29 18:56:49; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 10:56:44 PST 1995

revision 1.590
date: 1995/03/29 18:48:13; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:48:08 PST 1995

revision 1.589
date: 1995/03/29 18:45:50; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:45:45 PST 1995

revision 1.588
date: 1995/03/29 18:41:09; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:41:03 PST 1995

revision 1.587
date: 1995/03/29 18:38:25; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 10:38:19 PST 1995

revision 1.586
date: 1995/03/29 16:43:16; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 08:43:11 PST 1995

revision 1.585
date: 1995/03/29 16:31:42; author: chip; state: Exp; lines: +1 -0
periodic checkin of Wed Mar 29 08:31:36 PST 1995

revision 1.584
date: 1995/03/29 13:54:32; author: chip; state: Exp; lines: +3 -0
periodic checkin of Wed Mar 29 05:54:24 PST 1995

revision 1.583
date: 1995/03/29 02:13:36; author: chip; state: Exp; lines: +9 -0
periodic checkin of Tue Mar 28 18:13:26 PST 1995

revision 1.582
date: 1995/03/29 01:38:15; author: chip; state: Exp; lines: +12 -0
periodic checkin of Tue Mar 28 17:38:03 PST 1995

revision 1.581
date: 1995/03/29 01:35:21; author: chip; state: Exp; lines: +34 -0
periodic checkin of Tue Mar 28 17:34:41 PST 1995

revision 1.580
date: 1995/03/28 19:31:58; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 28 11:31:47 PST 1995

revision 1.579
date: 1995/03/28 19:25:11; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 11:25:01 PST 1995

revision 1.578
date: 1995/03/28 19:10:28; author: chip; state: Exp; lines: +3 -0
periodic checkin of Tue Mar 28 11:10:18 PST 1995

cf Mar 28-April 3 1995.log

revision 1.577
date: 1995/03/28 19:04:38; author: chip; state: Exp; lines: +7 -0
periodic checkin of Tue Mar 28 11:04:28 PST 1995

revision 1.576
date: 1995/03/28 18:59:22; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 10:59:14 PST 1995

revision 1.575
date: 1995/03/28 18:35:55; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 10:35:48 PST 1995

revision 1.574
date: 1995/03/28 18:13:12; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 10:13:04 PST 1995

revision 1.573
date: 1995/03/28 17:45:07; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 28 09:44:55 PST 1995

revision 1.572
date: 1995/03/28 17:43:03; author: chip; state: Exp; lines: +11 -0
periodic checkin of Tue Mar 28 09:42:49 PST 1995

revision 1.571
date: 1995/03/28 17:40:56; author: chip; state: Exp; lines: +2 -0
periodic checkin of Tue Mar 28 09:40:51 PST 1995

revision 1.570
date: 1995/03/28 17:37:10; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 09:37:02 PST 1995

revision 1.569
date: 1995/03/28 17:27:03; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 09:26:58 PST 1995

revision 1.568
date: 1995/03/28 17:18:31; author: chip; state: Exp; lines: +6 -0
periodic checkin of Tue Mar 28 09:18:20 PST 1995

revision 1.567
date: 1995/03/28 17:04:31; author: chip; state: Exp; lines: +1 -0
periodic checkin of Tue Mar 28 09:04:23 PST 1995

=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl12dandn20s.ly,v
working file: atlas2/compass/layouts/xl12dandn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:42; author: chip; state: Exp; lines: +9 -11
periodic checkin of Fri Mar 31 13:42:22 PST 1995

=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl12dorn20s.ly,v
working file: atlas2/compass/layouts/xl12dorn20s.ly

cf Mar 28-April 3 1995.log

head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:43; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl17dandn20s.ly,v
working file: atlas2/compass/layouts/xl17dandn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:45; author: chip; state: Exp; lines: +10 -12
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl17dorn20s.ly,v
working file: atlas2/compass/layouts/xl17dorn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:47; author: chip; state: Exp; lines: +6 -8
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn10s.ly,v
working file: atlas2/compass/layouts/xl2andn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:49; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn160s.ly,v

cf Mar 28-April 3 1995.log
working file: atlas2/compass/layouts/xl2andn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:51; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn20s.ly,v
working file: atlas2/compass/layouts/xl2andn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:52; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn40s.ly,v
working file: atlas2/compass/layouts/xl2andn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:54; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl2andn80s.ly,v
working file: atlas2/compass/layouts/xl2andn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:56; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x12dandn10s.ly,v
working file: atlas2/compass/layouts/x12dandn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:15; author: chip; state: Exp; lines: +7 -9
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x12muxn160s.ly,v
working file: atlas2/compass/layouts/x12muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:17; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x12muxn40s.ly,v
working file: atlas2/compass/layouts/x12muxn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:42:58; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x12muxn80s.ly,v
working file: atlas2/compass/layouts/x12muxn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:43:00; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn10s.ly,v
working file: atlas2/compass/layouts/xl3andn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:43:02; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn160s.ly,v
working file: atlas2/compass/layouts/xl3andn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:43:04; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:42:22 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn20s.ly,v
working file: atlas2/compass/layouts/xl3andn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:20; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn40s.ly,v
working file: atlas2/compass/layouts/xl3andn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:22; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

cf Mar 28-April 3 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3andn80s.ly,v
working file: atlas2/compass/layouts/xl3andn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:24; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3dandn10s.ly,v
working file: atlas2/compass/layouts/xl3dandn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:27; author: chip; state: Exp; lines: +8 -10
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3muxn160s.ly,v
working file: atlas2/compass/layouts/xl3muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:30; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====
```

```
RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3muxn40s.ly,v
working file: atlas2/compass/layouts/xl3muxn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

```
revision 4.2
date: 1995/03/31 21:46:32; author: chip; state: Exp; lines: +5 -7
```

cf Mar 28-April 3 1995.log
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl3muxn80s.ly,v
working file: atlas2/compass/layouts/xl3muxn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 14; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:34; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn10s.ly,v
working file: atlas2/compass/layouts/xl4andn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:36; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn160s.ly,v
working file: atlas2/compass/layouts/xl4andn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:38; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn20s.ly,v
working file: atlas2/compass/layouts/xl4andn20s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8; selected revisions: 1
description:

revision 4.2

cf Mar 28-April 3 1995.log
date: 1995/03/31 21:46:40; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn40s.ly,v
working file: atlas2/compass/layouts/xl4andn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:42; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4andn80s.ly,v
working file: atlas2/compass/layouts/xl4andn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:44; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4dandn10s.ly,v
working file: atlas2/compass/layouts/xl4dandn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:45; author: chip; state: Exp; lines: +8 -10
periodic checkin of Fri Mar 31 13:45:54 PST 1995

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl4muxn160s.ly,v
working file: atlas2/compass/layouts/xl4muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 4.2

date: 1995/03/31 21:46:47; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x14muxn40s.ly,v

working file: atlas2/compass/layouts/x14muxn40s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:46:49; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x14muxn80s.ly,v

working file: atlas2/compass/layouts/x14muxn80s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:46:50; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x15muxn160s.ly,v

working file: atlas2/compass/layouts/x15muxn160s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:46:53; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995

=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/x15muxn40s.ly,v

working file: atlas2/compass/layouts/x15muxn40s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 1

description:

cf Mar 28-April 3 1995.log

revision 4.2
date: 1995/03/31 21:46:55; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl5muxn80s.ly,v
working file: atlas2/compass/layouts/xl5muxn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:57; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6dandn10s.ly,v
working file: atlas2/compass/layouts/xl6dandn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:46:59; author: chip; state: Exp; lines: +7 -9
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6muxn160s.ly,v
working file: atlas2/compass/layouts/xl6muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:01; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6muxn40s.ly,v
working file: atlas2/compass/layouts/xl6muxn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1

cf Mar 28-April 3 1995.log

description:

revision 4.2

date: 1995/03/31 21:47:04; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl6muxn80s.ly,v
working file: atlas2/compass/layouts/xl6muxn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:47:06; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl7muxn160s.ly,v
working file: atlas2/compass/layouts/xl7muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 14; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:47:08; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl7muxn40s.ly,v
working file: atlas2/compass/layouts/xl7muxn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 10; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:47:10; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl7muxn80s.ly,v
working file: atlas2/compass/layouts/xl7muxn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 12; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:15; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8dandn10s.ly,v
working file: atlas2/compass/layouts/xl8dandn10s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:17; author: chip; state: Exp; lines: +9 -11
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8muxn160s.ly,v
working file: atlas2/compass/layouts/xl8muxn160s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:47:20; author: chip; state: Exp; lines: +3 -5
periodic checkin of Fri Mar 31 13:45:54 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8muxn40s.ly,v
working file: atlas2/compass/layouts/xl8muxn40s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 1
description:

revision 4.2
date: 1995/03/31 21:50:29; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xl8muxn80s.ly,v
working file: atlas2/compass/layouts/xl8muxn80s.ly
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cf Mar 28-April 3 1995.log

keyword substitution: kv
total revisions: 12; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:50:31; author: chip; state: Exp; lines: +5 -7
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq160s.ly,v
working file: atlas2/compass/layouts/xldlaq160s.ly
head: 200.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:50:34; author: chip; state: Exp; lines: +355 -244
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq20s.ly,v
working file: atlas2/compass/layouts/xldlaq20s.ly
head: 200.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:50:36; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq40s.ly,v
working file: atlas2/compass/layouts/xldlaq40s.ly
head: 200.0

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 4.2

date: 1995/03/31 21:50:38; author: chip; state: Exp; lines: +3 -3
periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlaq80s.ly,v
working file: atlas2/compass/layouts/xldlaq80s.ly
head: 200.0

branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:50:41; author: chip; state: Exp; lines: +5 -5

periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xldlbql60s.ly,v

working file: atlas2/compass/layouts/xldlbql60s.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 21:50:44; author: chip; state: Exp; lines: +3 -5

periodic checkin of Fri Mar 31 13:50:14 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xsvia1.ly,v

working file: atlas2/compass/layouts/xsvia1.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 22:37:25; author: chip; state: Exp; lines: +4 -2

periodic checkin of Fri Mar 31 14:37:13 PST 1995
=====

RCS file: /p/cvsroot/atlas2/compass/layouts/Attic/xsvia2.ly,v

working file: atlas2/compass/layouts/xsvia2.ly

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 4.2

date: 1995/03/31 22:40:03; author: chip; state: Exp; lines: +4 -2

periodic checkin of Fri Mar 31 14:39:58 PST 1995
=====

RCS file: /p/cvsroot/atlas2/ged/BOM,v

working file: atlas2/ged/BOM

head: 207.61

branch:

locks: strict

cf Mar 28-April 3 1995.log

access list:

symbolic names:

b4_rich: 207.57

keyword substitution: kv

total revisions: 1847; selected revisions: 7

description:

revision 6.11

date: 1995/03/31 19:17:03; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 6.10

date: 1995/03/31 03:05:39; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 6.9

date: 1995/03/31 01:05:12; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 6.8

date: 1995/03/30 20:05:40; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d_am)

revision 6.7

date: 1995/03/30 20:00:39; author: ong; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 6.6

date: 1995/03/30 19:34:16; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 6.5

date: 1995/03/29 18:32:45; author: tom; state: Exp; lines: +2 -2

Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/BOM,v

working file: atlas2/ged/xv/BOM

head: 212.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 212.0

keyword substitution: kv

total revisions: 348; selected revisions: 10

description:

releasebom adding BOM

cf Mar 28-April 3 1995.log

revision 17.0
date: 1995/03/31 19:16:50; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 16.1
date: 1995/03/31 19:16:42; author: ong; state: Exp; lines: +12 -12
releasebom: File needs to be up-to-date to use commit -r

revision 16.0
date: 1995/03/31 03:05:26; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 15.5
date: 1995/03/31 03:05:18; author: ong; state: Exp; lines: +23 -5
releasebom: File needs to be up-to-date to use commit -r

revision 15.4
date: 1995/03/31 01:05:02; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 15.3
date: 1995/03/30 20:05:30; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xvdlaq

Changed pin name on body to match schematic (d_am)

revision 15.2
date: 1995/03/30 20:00:27; author: ong; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 15.1
date: 1995/03/30 19:34:08; author: tom; state: Exp; lines: +2 -2
Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 15.0
date: 1995/03/29 18:32:36; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 14.3
date: 1995/03/29 18:32:28; author: tom; state: Exp; lines: +7 -11
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlaq/body.1.1,v
working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlaq/body.1.1
head: 200.3
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:

b4_rich: 200.3

keyword substitution: kv

total revisions: 8; selected revisions: 1

description:

revision 1.2

date: 1995/03/30 20:01:59; author: ong; state: Exp; lines: +16 -16

Change pin name on body from d0_am to d_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/.config+xv_family=domino_latch/xvdlag/body.2.1,v

working file: atlas2/ged/xv/.config+xv_family=domino_latch/xvdlag/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

b4_rich: 200.0

keyword substitution: kv

total revisions: 5; selected revisions: 1

description:

revision 1.2

date: 1995/03/30 20:02:01; author: ong; state: Exp; lines: +17 -17

Change pin name on body from d0_am to d_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/BOM,v

working file: atlas2/ged/xv/xv12andffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 02:52:40; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 02:52:32; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/body.1.1,v

working file: atlas2/ged/xv/xv12andffq/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

cf Mar 28-April 3 1995.log
date: 1995/03/31 02:41:25; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/body.2.1,v
working file: atlas2/ged/xv/xv12andffq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:29; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv12andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:31; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv12andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:34; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv12andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv12andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
releasebom adding BOM

cf Mar 28-April 3 1995.log

revision 2.0
date: 1995/03/31 02:53:00; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:52:52; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv12and1bn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:48; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv12and1bn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:51; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv12and1bn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:53; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12and1bn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv12and1bn/spice_cn.1.1
head: 200.0

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:41:56; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv12dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv12dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:06:20; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:06:12; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv12dandn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv12dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:16:37; author: ong; state: Exp; lines: +860 -860
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am

RCS file: /p/cvsroot/atlas2/ged/xv/xv12dandn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv12dandn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 1.2
date: 1995/03/31 18:16:44; author: ong; state: Exp; lines: +238 -238
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/BOM,v
working file: atlas2/ged/xv/xv12orlan/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:53:40; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:53:32; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/body.1.1,v
working file: atlas2/ged/xv/xv12orlan/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:06; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/body.2.1,v
working file: atlas2/ged/xv/xv12orlan/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:09; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/spice.1.1,v

cf Mar 28-April 3 1995.log
working file: atlas2/ged/xv/xv12orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:11; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv12orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv12orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:42:14; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/BOM,v
working file: atlas2/ged/xv/xv17andffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19; selected revisions: 4
description:
releasebom adding BOM

revision 5.0
date: 1995/03/30 20:00:15; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv17andffq

Change dynamic latch phase

revision 4.1
date: 1995/03/30 20:00:07; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/03/29 18:26:50; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some
bodies

revision 3.1
date: 1995/03/29 18:26:43; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

cf Mar 28-April 3 1995.log

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv17andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 2
description:
-----
```

```
revision 1.4
date: 1995/03/30 19:59:26; author: ong; state: Exp; lines: +838 -826
Change latch following xv17dandn to xvd1bq
-----
```

```
revision 1.3
date: 1995/03/29 18:24:45; author: tom; state: Exp; lines: +830 -818
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv17andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv17andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9;    selected revisions: 2
description:
-----
```

```
revision 1.4
date: 1995/03/30 19:59:32; author: ong; state: Exp; lines: +276 -276
Change latch following xv17dandn to xvd1bq
-----
```

```
revision 1.3
date: 1995/03/29 18:24:51; author: tom; state: Exp; lines: +277 -277
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv17and1bn/Attic/BOM,v
working file: atlas2/ged/xv/xv17and1bn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 19;    selected revisions: 4
description:
releasebom adding BOM
-----
```

```
revision 5.0
date: 1995/03/31 02:54:17; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 4.1
```

cf Mar 28-April 3 1995.log
date: 1995/03/31 02:54:07; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/03/29 18:27:16; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 3.1
date: 1995/03/29 18:27:08; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17and1bn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv17and1bn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:

revision 1.4
date: 1995/03/31 02:43:21; author: ong; state: Exp; lines: +791 -783
Added superfluous notes.

revision 1.3
date: 1995/03/29 18:25:01; author: tom; state: Exp; lines: +788 -780
added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17and1bn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv17and1bn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 2
description:

revision 1.4
date: 1995/03/31 02:43:26; author: ong; state: Exp; lines: +223 -223
Added superfluous notes.

revision 1.3
date: 1995/03/29 18:25:07; author: tom; state: Exp; lines: +226 -226
added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv17dandn/BOM
head: 201.0
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:

keyword substitution: kv

total revisions: 11; selected revisions: 2

description:

releasebom adding BOM

revision 3.0

date: 1995/03/30 19:33:57; author: tom; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv/xv17dandn

Change capacitor labels to match pin names of phi_am & q_bnm

revision 2.1

date: 1995/03/30 19:33:49; author: tom; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17dandn/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv17dandn/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/30 17:41:00; author: ong; state: Exp; lines: +1130 -1130

Change capacitor labels to match pin names of phi_am & q_bnm

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17dandn/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv17dandn/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/30 17:41:08; author: ong; state: Exp; lines: +316 -316

Change capacitor labels to match pin names of phi_am & q_bnm

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/BOM,v

working file: atlas2/ged/xv/xv17orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 23; selected revisions: 6

description:

releasebom adding BOM

revision 6.0

date: 1995/03/31 02:55:00; author: ong; state: Exp; lines: +1 -1

cf Mar 28-April 3 1995.log

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 5.1
date: 1995/03/31 02:54:51; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 5.0
date: 1995/03/31 01:04:51; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xv17orlan

reinstantiated xvdlaq to catch pin name change

revision 4.1
date: 1995/03/31 01:04:43; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 4.0
date: 1995/03/29 18:27:51; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 3.1
date: 1995/03/29 18:27:44; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv17orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 3
description:

revision 1.5
date: 1995/03/31 02:44:23; author: ong; state: Exp; lines: +826 -818
Changed parms for xvdlaq + added superfluous notes

revision 1.4
date: 1995/03/31 01:04:15; author: tom; state: Exp; lines: +820 -820
reinstantiated xvdlaq to catch pin name change

revision 1.3
date: 1995/03/29 18:25:12; author: tom; state: Exp; lines: +820 -812
added strength parameters to composite cells, changed brackets to braces in some bodies
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv17orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv17orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 11; selected revisions: 3
description:

revision 1.5
date: 1995/03/31 02:44:28; author: ong; state: Exp; lines: +222 -222
Changed parms for xvdlaq + added superfluous notes

revision 1.4
date: 1995/03/31 01:04:20; author: tom; state: Exp; lines: +224 -224
reinstantiated xvdlaq to catch pin name change

revision 1.3
date: 1995/03/29 18:25:18; author: tom; state: Exp; lines: +263 -263
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/BOM,v
working file: atlas2/ged/xv/xv2andffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:55:22; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:55:14; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/body.1.1,v
working file: atlas2/ged/xv/xv2andffq/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:42; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/body.2.1,v
working file: atlas2/ged/xv/xv2andffq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:

cf Mar 28-April 3 1995.log

keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:44; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv2andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:46; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv2andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:49; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv2andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:55:45; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:55:36; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andlbn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv2andlbn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:57; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andlbn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv2andlbn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:44:59; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andlbn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv2andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:01; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2andlbn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv2andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:04; author: ong; state: Exp;
New schematic for xs* cells.

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv2dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv2dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/03/31 19:08:01; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
-----
revision 2.1
date: 1995/03/31 19:07:53; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv2dandn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv2dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 18:16:50; author: ong; state: Exp; lines: +284 -284
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv2dandn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv2dandn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;    selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 18:16:53; author: ong; state: Exp; lines: +76 -76
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/BOM,v
working file: atlas2/ged/xv/xv2orlan/BOM
head: 201.0
branch:
```

cf Mar 28-April 3 1995.log

```
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;    selected revisions: 2
description:
releasebom adding BOM
-----
revision 2.0
date: 1995/03/31 02:56:40; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Added New Schematics for generating xs* cells

```
-----
revision 1.1
date: 1995/03/31 02:56:31; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/body.1.1,v
working file: atlas2/ged/xv/xv2orlan/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:45:13; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/body.2.1,v
working file: atlas2/ged/xv/xv2orlan/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:45:15; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv2orlan/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv2orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6;    selected revisions: 1
description:
-----
```

```
revision 1.1
```

cf Mar 28-April 3 1995.log
date: 1995/03/31 02:45:18; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv2or1an/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv2or1an/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:20; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/BOM,v
working file: atlas2/ged/xv/xv3andffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:57:17; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:57:08; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/body.1.1,v
working file: atlas2/ged/xv/xv3andffq/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:30; author: ong; state: Exp;
New schematic for xs* cells.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/body.2.1,v
working file: atlas2/ged/xv/xv3andffq/body.2.1
head: 200.0
branch:

cf Mar 28-April 3 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:32; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv3andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:35; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv3andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:37; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv3andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:57:39; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

cf Mar 28-April 3 1995.log
date: 1995/03/31 02:57:30; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv3andlbn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:48; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv3andlbn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:51; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv3andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:45:53; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv3andlbn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv3andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 1.1
date: 1995/03/31 02:45:56; author: ong; state: Exp;
New Schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv3dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 4
description:
releasebom adding BOM

revision 4.0
date: 1995/03/31 19:09:19; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 3.1
date: 1995/03/31 19:09:11; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0
date: 1995/03/31 02:58:11; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 2.1
date: 1995/03/31 02:58:04; author: ong; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv3dandn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 02:46:08; author: ong; state: Exp; lines: +22 -22
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv3dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1

cf Mar 28-April 3 1995.log

description:

revision 1.2

date: 1995/03/31 18:16:59; author: ong; state: Exp; lines: +341 -341
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3dandn/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv3dandn/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 18:17:02; author: ong; state: Exp; lines: +86 -86

Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/BOM,v

working file: atlas2/ged/xv/xv3orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 13; selected revisions: 2

description:

releasebom adding BOM
=====

revision 2.0

date: 1995/03/31 02:58:43; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells
=====

revision 1.1

date: 1995/03/31 02:58:36; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/body.1.1,v

working file: atlas2/ged/xv/xv3orlan/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:46:24; author: ong; state: Exp;

New schematic for xs* cells.
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/body.2.1,v
working file: atlas2/ged/xv/xv3orlan/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:27; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv3orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:29; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv3orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv3orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:46:33; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/BOM,v
working file: atlas2/ged/xv/xv4andffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:59:10; author: ong; state: Exp; lines: +1 -1

cf Mar 28-April 3 1995.log

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:59:02; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/body.1.1,v
working file: atlas2/ged/xv/xv4andffq/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:00; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/body.2.1,v
working file: atlas2/ged/xv/xv4andffq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:03; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv4andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:06; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv4andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:

cf Mar 28-April 3 1995.log

symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:09; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv4andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 17; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 02:59:28; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 02:59:21; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv4andlbn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:17; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv4andlbn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:19; author: ong; state: Exp;
New schematic for xs* cells.

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xv4andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:47:23; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv4andlbn/Attic/spice_cn.1.1,v
Working file: atlas2/ged/xv/xv4andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:47:26; author: ong; state: Exp;
New schematic for xs* cells.
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv4dandn/Attic/BOM,v
Working file: atlas2/ged/xv/xv4dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/03/31 19:10:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
-----
revision 2.1
date: 1995/03/31 19:10:29; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv4dandn/Attic/spice.1.1,v
Working file: atlas2/ged/xv/xv4dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
```


cf Mar 28-April 3 1995.log

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 18:17:09; author: ong; state: Exp; lines: +25 -25

Changed node names on capacitor from q_anm and phi_bm to

q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4dandn/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv4dandn/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 18:17:12; author: ong; state: Exp; lines: +28 -28

Changed node names on capacitor from q_anm and phi_bm to

q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/BOM,v

working file: atlas2/ged/xv/xv4orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 03:00:19; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 03:00:12; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/body.1.1,v

working file: atlas2/ged/xv/xv4orlan/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

cf Mar 28-April 3 1995.log
date: 1995/03/31 02:47:34; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/body.2.1,v
working file: atlas2/ged/xv/xv4orlan/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:37; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv4orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:39; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv4orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv4orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:42; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/BOM,v
working file: atlas2/ged/xv/xv6andffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

cf Mar 28-April 3 1995.log

revision 2.0
date: 1995/03/31 03:00:51; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:00:44; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/body.1.1,v
working file: atlas2/ged/xv/xv6andffq/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:49; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/body.2.1,v
working file: atlas2/ged/xv/xv6andffq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:53; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv6andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:56; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv6andffq/spice_cn.1.1
head: 200.0
:

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:47:59; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/BOM,v
working file: atlas2/ged/xv/xv6and1bn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 03:01:12; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:01:04; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv6and1bn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:11; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6and1bn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv6and1bn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

cf Mar 28-April 3 1995.log

revision 1.1
date: 1995/03/31 02:48:13; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andlbn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv6andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:15; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv6andlbn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv6andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:18; author: ong; state: Exp;
New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv6dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv6dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:11:51; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:11:43; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv6dandn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv6dandn/spice.1.1
head: 200.0

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:18; author: ong; state: Exp; lines: +514 -514
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6dandn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv6dandn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:22; author: ong; state: Exp; lines: +142 -142
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6muxn/Attic/BOM,v
working file: atlas2/ged/xv/xv6muxn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:12:23; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:12:16; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6muxn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv6muxn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1

cf Mar 28-April 3 1995.log

description:

revision 1.2

date: 1995/03/31 19:01:31; author: ong; state: Exp; lines: +722 -726

Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6muxn/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv6muxn/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:01:35; author: ong; state: Exp; lines: +151 -150

Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/BOM,v

working file: atlas2/ged/xv/xv6orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 03:01:52; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 03:01:45; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/body.1.1,v

working file: atlas2/ged/xv/xv6orlan/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:48:31; author: ong; state: Exp;

New Schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/body.2.1,v

cf Mar 28-April 3 1995.log
working file: atlas2/ged/xv/xv6orlan/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:33; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv6orlan/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:36; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv6orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv6orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:39; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv7muxn/Attic/BOM,v
working file: atlas2/ged/xv/xv7muxn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:12:56; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

cf Mar 28-April 3 1995.log

Edits for ged2spice compilation.

revision 2.1

date: 1995/03/31 19:12:49; author: ong; state: Exp; lines: +3 -3

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv7muxn/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv7muxn/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:01:47; author: ong; state: Exp; lines: +813 -813

Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv7muxn/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv7muxn/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/31 19:01:55; author: ong; state: Exp; lines: +189 -187

Reattached '[NMOS N2]' parms to transistor
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/BOM,v

working file: atlas2/ged/xv/xv8andffq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 03:02:20; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 03:02:12; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/body.1.1,v

cf Mar 28-April 3 1995.log
working file: atlas2/ged/xv/xv8andffq/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:47; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/body.2.1,v
working file: atlas2/ged/xv/xv8andffq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:49; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv8andffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:52; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8andffq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:48:54; author: ong; state: Exp;
New schematic for xs* cells.
=====

cf Mar 28-April 3 1995.log
RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/BOM,v
working file: atlas2/ged/xv/xv8andlbn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 21; selected revisions: 2
description:
releasebom adding BOM

revision 2.0
date: 1995/03/31 03:02:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1
date: 1995/03/31 03:02:31; author: ong; state: Exp;
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv8andlbn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:04; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv8andlbn/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:07; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv8andlbn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv

cf Mar 28-April 3 1995.log
total revisions: 9; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:09; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8andlbn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8andlbn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 9; selected revisions: 1
description:

revision 1.1
date: 1995/03/31 02:49:11; author: ong; state: Exp;
New schematic for xs* cells.
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8dandn/Attic/BOM,v
working file: atlas2/ged/xv/xv8dandn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/31 19:13:38; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1
date: 1995/03/31 19:13:29; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8dandn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv8dandn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:30; author: ong; state: Exp; lines: +627 -627
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

cf Mar 28-April 3 1995.log

RCS file: /p/cvsroot/atlas2/ged/xv/xv8dandn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8dandn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 18:17:35; author: ong; state: Exp; lines: +173 -173
Changed node names on capacitor from q_anm and phi_bm to
q_bnm and phi_am
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/BOM,v
working file: atlas2/ged/xv/xv8muxffn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11; selected revisions: 2
description:
releasebom adding BOM

revision 3.0
date: 1995/03/29 18:30:41; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some
bodies

revision 2.1
date: 1995/03/29 18:30:34; author: tom; state: Exp; lines: +5 -5
releasebom: File needs to be up-to-date to use commit -r
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/body.1.1,v
working file: atlas2/ged/xv/xv8muxffn/body.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.2
date: 1995/03/29 18:25:22; author: tom; state: Exp; lines: +1 -1
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/body.2.1,v
working file: atlas2/ged/xv/xv8muxffn/body.2.1
head: 200.0
branch:

cf Mar 28-April 3 1995.log

locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4; selected revisions: 1
description:

revision 1.2

date: 1995/03/29 18:25:24; author: tom; state: Exp; lines: +1 -1
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv8muxffn/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:26; author: tom; state: Exp; lines: +670 -666
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxffn/Attic/spice_cn.1.1,v

working file: atlas2/ged/xv/xv8muxffn/spice_cn.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 4; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:29; author: tom; state: Exp; lines: +177 -177
added strength parameters to composite cells, changed brackets to braces in some
bodies
=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/BOM,v

working file: atlas2/ged/xv/xv8muxlaq/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 9; selected revisions: 4

description:

releasebom adding BOM
=====

revision 4.0

date: 1995/03/31 19:14:22; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

cf Mar 28-April 3 1995.log
Edits for ged2spice compilation.

revision 3.1

date: 1995/03/31 19:14:14; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 3.0

date: 1995/03/29 18:31:10; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

added strength parameters to composite cells, changed brackets to braces in some bodies

revision 2.1

date: 1995/03/29 18:31:02; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/body.1.1,v

working file: atlas2/ged/xv/xv8muxlaq/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:33; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/body.2.1,v

working file: atlas2/ged/xv/xv8muxlaq/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.2

date: 1995/03/29 18:25:35; author: tom; state: Exp; lines: +1 -1

added strength parameters to composite cells, changed brackets to braces in some bodies

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxlaq/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv8muxlaq/spice.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

cf Mar 28-April 3 1995.log

revision 1.2

date: 1995/03/31 19:02:19; author: ong; state: Exp; lines: +964 -964
Reattached '[NMOS N5]' parms to transistor

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1aq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8mux1aq/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2

date: 1995/03/31 19:02:26; author: ong; state: Exp; lines: +232 -230
Reattached '[NMOS N5]' parms to transistor

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1bq/Attic/BOM,v
working file: atlas2/ged/xv/xv8mux1bq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7; selected revisions: 2
description:
releasebom adding BOM

revision 3.0

date: 1995/03/31 19:14:45; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Edits for ged2spice compilation.

revision 2.1

date: 1995/03/31 19:14:37; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1bq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv8mux1bq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3; selected revisions: 1
description:

revision 1.2

date: 1995/03/31 19:02:39; author: ong; state: Exp; lines: +154 -154
Reattached '[NMOS N5]' parms to transistor

RCS file: /p/cvsroot/atlas2/ged/xv/xv8mux1bq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8mux1bq/spice_cn.1.1
head: 200.0

cf Mar 28-April 3 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 3;      selected revisions: 1
description:
-----
revision 1.2
date: 1995/03/31 19:02:42; author: ong; state: Exp; lines: +123 -121
Reattached '[NMOS N5]' parms to transistor
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxn/Attic/BOM,v
working file: atlas2/ged/xv/xv8muxn/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 11;     selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/03/31 19:15:10; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv
```

Edits for ged2spice compilation.

```
-----
revision 2.1
date: 1995/03/31 19:15:02; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxn/Attic/spice.1.1,v
working file: atlas2/ged/xv/xv8muxn/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
-----
```

```
revision 1.2
date: 1995/03/31 19:02:54; author: ong; state: Exp; lines: +898 -898
Reattached '[NMOS N2]' parms to transistor
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xv8muxn/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8muxn/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 4;      selected revisions: 1
description:
-----
```

cf Mar 28-April 3 1995.log

revision 1.2

date: 1995/03/31 19:03:01; author: ong; state: Exp; lines: +245 -243
Reattached '[NMOS N2]' parms to transistor

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/BOM,v

working file: atlas2/ged/xv/xv8orlan/BOM

head: 201.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 15; selected revisions: 2

description:

releasebom adding BOM

revision 2.0

date: 1995/03/31 03:03:46; author: ong; state: Exp; lines: +1 -1

Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 1.1

date: 1995/03/31 03:03:38; author: ong; state: Exp;

releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/body.1.1,v

working file: atlas2/ged/xv/xv8orlan/body.1.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:49:19; author: ong; state: Exp;

New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/body.2.1,v

working file: atlas2/ged/xv/xv8orlan/body.2.1

head: 200.0

branch:

locks: strict

access list:

symbolic names:

keyword substitution: kv

total revisions: 3; selected revisions: 1

description:

revision 1.1

date: 1995/03/31 02:49:22; author: ong; state: Exp;

New schematic for xs* cells.

RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/spice.1.1,v

working file: atlas2/ged/xv/xv8orlan/spice.1.1

head: 200.0

cf Mar 28-April 3 1995.log

```
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
revision 1.1
date: 1995/03/31 02:49:25; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xv8orlan/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xv8orlan/spice_cn.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 7;    selected revisions: 1
description:
-----
```

```
revision 1.1
date: 1995/03/31 02:49:27; author: ong; state: Exp;
New schematic for xs* cells.
```

```
=====
RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/BOM,v
working file: atlas2/ged/xv/xvdlq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13;    selected revisions: 2
description:
releasebom adding BOM
-----
```

```
revision 3.0
date: 1995/03/30 20:05:18; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv/xvdlq
```

Changed pin name on body to match schematic (d_am)

```
-----
revision 2.1
date: 1995/03/30 20:05:09; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r
=====
```

```
RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.1.1,v
working file: atlas2/ged/xv/xvdlq/body.1.1
head: 200.3
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 8;    selected revisions: 1
description:
-----
```

cf Mar 28-April 3 1995.log

revision 1.2

date: 1995/03/30 20:01:59; author: ong; state: Exp; lines: +16 -16
Change pin name on body from d0_am to d_am

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvdlq/Attic/body.2.1,v
working file: atlas2/ged/xv/xvdlq/body.2.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 5; selected revisions: 1
description:

revision 1.2

date: 1995/03/30 20:02:01; author: ong; state: Exp; lines: +17 -17
Change pin name on body from d0_am to d_am

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/BOM,v
working file: atlas2/ged/xv/xvffq/BOM
head: 201.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 13; selected revisions: 2
description:
releasebom adding BOM

revision 3.0

date: 1995/03/31 03:04:33; author: ong; state: Exp; lines: +1 -1
Release Target: atlas/ged/xv

Added New Schematics for generating xs* cells

revision 2.1

date: 1995/03/31 03:04:25; author: ong; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice.1.1,v
working file: atlas2/ged/xv/xvffq/spice.1.1
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.2

date: 1995/03/31 02:50:02; author: ong; state: Exp; lines: +194 -178
Change parameters to make xs* cells.

=====

RCS file: /p/cvsroot/atlas2/ged/xv/xvffq/Attic/spice_cn.1.1,v
working file: atlas2/ged/xv/xvffq/spice_cn.1.1
head: 200.0

cf Mar 28-April 3 1995.log

branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 6; selected revisions: 1
description:

revision 1.2
date: 1995/03/31 02:50:05; author: ong; state: Exp; lines: +47 -47
Change parameters to make xs* cells.
=====

RCS file: /p/cvsroot/atlas2/leafgen/BOM,v
working file: atlas2/leafgen/BOM
head: 238.0
branch:
locks: strict
access list:
symbolic names:
b4_rich: 238.0
keyword substitution: kv
total revisions: 235; selected revisions: 8
description:
releasebom adding BOM

revision 12.0
date: 1995/03/31 19:15:17; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

add edif netlist generation

revision 11.1
date: 1995/03/31 19:15:08; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 11.0
date: 1995/03/30 19:14:42; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

fix call to inferLobes: pass CHIPROOT to it, and check error status

revision 10.1
date: 1995/03/30 19:14:35; author: tom; state: Exp; lines: +2 -2
releasebom: File needs to be up-to-date to use commit -r

revision 10.0
date: 1995/03/30 04:49:07; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

improve dependencies; build netlist for one-lobe xs cells

revision 9.1
date: 1995/03/30 04:48:59; author: tom; state: Exp; lines: +3 -3
releasebom: File needs to be up-to-date to use commit -r

revision 9.0
date: 1995/03/29 18:34:06; author: tom; state: Exp; lines: +1 -1
Release Target: atlas/leafgen

first shot at building xs cells -- only works for hierarchical cells, so far

revision 8.1

cf Mar 28-April 3 1995.log
date: 1995/03/29 18:33:59; author: tom; state: Exp; lines: +4 -3
releasebom: File needs to be up-to-date to use commit -r

RCS file: /p/cvsroot/atlas2/leafgen/Makefile,v
working file: atlas2/leafgen/Makefile
head: 200.18
branch:
locks: strict
access list:
symbolic names:
 b4_rich: 200.18
keyword substitution: kv
total revisions: 50; selected revisions: 4
description:

revision 1.14
date: 1995/03/31 19:14:09; author: tom; state: Exp; lines: +31 -3
add edif netlist generation

revision 1.13
date: 1995/03/30 19:13:19; author: tom; state: Exp; lines: +4 -2
fix call to inferLobes: pass CHIPROOT to it, and check error status

revision 1.12
date: 1995/03/30 04:48:03; author: tom; state: Exp; lines: +24 -9
improve dependencies; build netlist for one-lobe xs cells

revision 1.11
date: 1995/03/29 18:33:15; author: tom; state: Exp; lines: +63 -30
first shot at building xs cells -- only works for hierarchical cells, so far

RCS file: /p/cvsroot/atlas2/leafgen/Attic/inferLobes,v
working file: atlas2/leafgen/inferLobes
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 2; selected revisions: 1
description:

revision 8.1
date: 1995/03/29 18:33:17; author: tom; state: Exp;
first shot at building xs cells -- only works for hierarchical cells, so far

RCS file: /p/cvsroot/atlas2/leafgen/Attic/makeDepend,v
working file: atlas2/leafgen/makeDepend
head: 200.0
branch:
locks: strict
access list:
symbolic names:
keyword substitution: kv
total revisions: 15; selected revisions: 3
description:

revision 3.10
date: 1995/03/31 19:14:11; author: tom; state: Exp; lines: +14 -19
add edif netlist generation

cf Mar 28-April 3 1995.log

revision 3.9

date: 1995/03/30 04:48:05; author: tom; state: Exp; lines: +37 -29
improve dependencies; build netlist for one-lobe xs cells

revision 3.8

date: 1995/03/29 18:33:20; author: tom; state: Exp; lines: +71 -20
first shot at building xs cells -- only works for hierarchical cells, so far
=====